



B-57358

TCT Blade EFFICUT 165 X 56T For Wood

- **B-57358** TCT Blade 165 X 56T For Wood
- 40% longer performance to battery run time
- Coated/Laser Slit

KERF	1.45
PLATE	1.0
NO. OF TEETH	56
RAKE ANGLE	23°
MAX RPM	9250
TEETH CONFIGURATION	ATAFR(SPECIAL TYPE)



B-62991

TCT Blade EFFICUT 165 x 25T For Wood

- **B-62991** TCT Blade 165 x 25T For Wood
- 25% faster cut speed than standard blade
- Coated/Laser Slit

KERF	1.4
PLATE	1.0
NO. OF TEETH	25
RAKE ANGLE	23°
MAX RPM	9250
TEETH CONFIGURATION	ATAFR(SPECIAL TYPE)



B-62044

TCT Blade EFFICUT 185 x 24T For Wood

- **B-62044** TCT Blade 185 x 24T For Wood
- 40% longer performance to battery run time
- Coated/Laser Slit

KERF	1.45
PLATE	1.0
NO. OF TEETH	24
RAKE ANGLE	23°
MAX RPM	9250
TEETH CONFIGURATION	ATAFR(SPECIAL TYPE)



B-68591

TCT Blade EFFICUT 185 x 45T For Wood

- **B-68591** TCT Blade 185 x 45T For Wood
- 45% More cuts per charge / 52% Faster Cut Speed
- Carbide tipped Saw Blade

KERF	1.45
PLATE	1.0
NO. OF TEETH	45
RAKE ANGLE	23°
MAX RPM	8,300
TEETH CONFIGURATION	ATAFR(SPECIAL TYPE)



B-64646

TCT Blade EFFICUT 260 X 45T For Wood

- **B-64646** TCT Blade 260 x 25.4mm X 45T For Wood
- 39% more cuts per a charge than a standard blade
- Coated/Laser Slit

KERF	2.15
PLATE	1.65
NO. OF TEETH	45
RAKE ANGLE	10°
MAX RPM	5870
TEETH CONFIGURATION	ATAFR(SPECIAL TYPE)



B-67337

TCT Blade EFFICUT 260x30x60T For Wood

- **B-67337** TCT Blade 260 x 30mm X 60T For Wood
- With ring 25.4mm
- Coated/Laser Slit

KERF	2.15
PLATE	1.65
NO. OF TEETH	60
RAKE ANGLE	10°
MAX RPM	5870
TEETH CONFIGURATION	ATAFR(SPECIAL TYPE)

**B-67343**

TCT Blade EFFICUT 260x30x80T For Wood

- **B-67343** TCT Blade 260 x 30mm X 80T For Wood
- With ring 25.4mm
- Coated/Laser Slit

KERF	2.15
PLATE	1.65
HOLE DIA. (MM)	30
NO. OF TEETH	80
RAKE	10
MAX RPM	5,870RPM

**B-67371**

TCT Blade EFFICUT 305 x 30 x 100T For Wood

- **B-67371** TCT Blade 305 x 30 x 100T For Wood
- With ring 25.4mm
- Coated/Laser Slit

KERF	2.15
PLATE	1.65
HOLE DIA. (MM)	30
NO. OF TEETH	100
RAKE	10
MAX RPM	5,000RPM

**B-67359**

TCT Blade EFFICUT 305x30x60T For Wood

- **B-67337** TCT Blade 305 x 30mm X 60T For Wood
- With ring 25.4mm
- Coated/Laser Slit

KERF	2.15
PLATE	1.65
HOLE DIA. (MM)	30
NO. OF TEETH	60
RAKE	10
MAX RPM	5,000RPM

**B-67365**

TCT Blade EFFICUT 305x30x80T For Wood

- **B-67337** TCT Blade 305 x 30mm X 80T For Wood
- With ring 25.4mm
- Coated/Laser Slit

KERF	2.15
PLATE	1.65
HOLE DIA. (MM)	30
NO. OF TEETH	80
RAKE	10
MAX RPM	5,000RPM



E-01943

TCT Blade EFFICUT 235 x 24T For Wood

- E-01943
- RIP & CROSS CUT (24 Teeth) ATBR Alternate Tip + Raker
- Ideal for Cordless & 240V Saws

KERF	2.2
PLATE	1.5
HOLE DIA. (MM)	25MM
NO. OF TEETH	24
RAKE	20
MAX RPM	6,500RPM



DHS901



B-69870


TCT Blade EFFICUT 165 x 20 x 60T (DLS600)

- Quiet Cutting Silencer
- ATBR / Alternate Tip + Raker

KERF	1.85
PLATE	1.65
HOLE DIA. (MM)	20
NO. OF TEETH	60
RAKE	10°
MAX RPM	9,250RPM

LASER SLIT

Laser slits on the base metal filled with resin has the effective of lower noise and vibration damping.



**B-69347****EFFICUT METAL 136mm x 30T (GENERAL PURPOSE)**

- 50% more cuts per charge / 60% Faster cutting speed
- Ideal for DCS552

Outer diameter (mm)	136mm
No. of teeth	30
Bore (mm)	20
Kerf (mm)	1.1
Plate	0.95
Maximum Speed	4,500 min ⁻¹

**B-69369****EFFICUT METAL 150mm x 33T (GENERAL PURPOSE)**

- 50% more cuts per charge / 60% Faster cutting speed
- Ideal for DCS552

Outer diameter (mm)	150mm
No. of teeth	33
Bore (mm)	20
Kerf (mm)	1.1
Plate	0.95
Maximum Speed	4,680 min ⁻¹

**B-69353****EFFICUT METAL STAINLESS 136 x 45T**

- 46% more cuts per charge / 59% Faster cutting speed
- Ideal for DCS553

Outer diameter (mm)	136mm
No. of teeth	45
Bore (mm)	20
Kerf (mm)	1.1
Plate	0.95
Maximum Speed	4,500 min ⁻¹

**B-69375****EFFICUT METAL STAINLESS 150 x 48T**

- 46% more cuts per charge / 59% Faster cutting speed
- Ideal for DCS553

Outer diameter (mm)	150mm
No. of teeth	48
Bore (mm)	20
Kerf (mm)	1.1
Plate	0.95
Maximum Speed	4,680 min ⁻¹