



**Makita**

**OUTDOOR**

**POWER EQUIPMENT**

**2023-2024 PRODUCT CATALOGUE**

[makita.co.nz/products/OPE](https://makita.co.nz/products/OPE)



# **RULE** **THE OUTDOORS**



## **LXT 18V / 36V CORDLESS**

**LAWN  
MOWERS**  
Pg. 8-9

**LINE  
TRIMMERS**  
Pg. 10-11

**SPLIT SHAFT  
POWER HEAD**  
Pg. 12

▪ **BLOWERS**  
▪ **BLOW VAC**  
Pg. 13

▪ **POLESAWS**  
▪ **CHAINSAWS**  
Pg. 14-15

▪ **HEDGE TRIMMER**  
▪ **POLE TRIMMER**  
Pg. 16-17

**MATERIAL  
HANDLER**  
Pg. 18-19

▪ **SPRAYER**  
▪ **SHEARS**  
▪ **EARTH AUGER**

▪ **PRESSURE  
WASHER**

**CONNECTX**  
Pg. 20-21



# THE WORLD'S LARGEST

## PROFESSIONAL CORDLESS

# OUTDOOR POWER EQUIPMENT SYSTEM\*

Makita LXT is the world's largest cordless system powered by 18V lithium-ion slide-style batteries. Fast-charging LXT batteries are compatible with over 325 products including 18V and 36V power tools and Outdoor Power Equipment, as well as lighting, dust extraction, job site apparel, and more. Each day LXT products go to work on job sites and in workspaces across the country and around the world, and they're powered by proven battery and motor technology that helps end users and users of all kinds work more efficiently.

Be a part of something bigger with Makita Outdoor Power Equipment. Makita offers a complete system of outdoor power equipment with more solutions for trimming, cutting and clean-ups to revolutionise the way you work. With a focus on new technology and innovative engineering, Makita meets the demands of today and tomorrow.

How will you RULE THE OUTDOORS?



### XGT 40V / 80VMAX

**A NEW SYSTEM OF  
EQUIPMENT AND TOOLS**

Pg. 22-23

▪ **LINE TRIMMERS  
BRUSHCUTTERS**

Pg. 24-25

▪ **SPLIT SHAFT  
POWER HEAD**

▪ **CHAINSAWS  
HEDGE TRIM.**

Pg. 26

▪ **LAWN MOWER**

Pg. 27

▪ **AUGER  
POLESAW  
MISTBLOWER**

Pg. 28

**ACCESSORIES**

Pg. 29-31





# THE WO LARC

PROFESSIONAL

## OUTDOOR EQUIPMENT



## CORDLESS EXPERTS

Makita offers ever expanding Outdoor power Equipment of Lawn mowers, Line trimmers, Brushcutters, blowers, chain saws, pole saws, and more. For landscapers and homeowners alike, this means more battery-powered options to replace petrol equipment for top performance with lower noise, less maintenance and zero emissions.

**LXT**

The expanding LXT® System offers 325+ tools and products including 18V and 36V solutions for mowing, cutting, trimming, clean-ups, and more.







# WORLD'S BEST

## L CORDLESS POWER SYSTEM

\*with 18V lithium-ion slide-style batteries



XGT® is new system of 40V | 80V max cordless equipment and tools. XGT® is engineered to outpower, outsmart and outlast the rest.



The solution for longer run time and all-day work. For use with ConnectX™ products, as well as 40V XGT® and 36V (18V X2) LXT® products.



High power cordless lawn mower powered by 64Vmax Li-Ion battery with High power brushless motor suited for large lawns.



# LXT<sup>®</sup> 18V | 36V

## ONE SYSTEM. ENDLESS POSSIBILITIES.

The LXT<sup>®</sup> System is the world's largest compatible cordless tool system powered by 18V slide-style batteries. Makita's purpose-built motors, battery technology, and enhanced communications work together to deliver unmatched power, speed, and run time. Get maximum performance and efficiency with LXT Products for every trade.

### 18V




**325+**  
**PRODUCTS\***  
**ONE SYSTEM**  
ENDLESS POSSIBILITIES






# MAXIMUM PERFORMANCE




LXT® BATTERY

UP TO **50% MORE RUN TIME<sup>1</sup>**




RAPID OPTIMUM CHARGER

UP TO **3X FASTER CHARGING<sup>2</sup>**



PURPOSE-BUILT BRUSHLESS MOTOR

UP TO **50% LONGER MOTOR LIFE<sup>3</sup>**



STAR PROTECTION COMPUTER CONTROLS™

**EFFICIENT POWER MANAGEMENT<sup>4</sup>**

<sup>1</sup> Vs. Makita® 18v Ni-Cd Battery. <sup>2</sup> Vs. Makita® 18v Ni-Cd Charger. <sup>3</sup> In 2022. <sup>4</sup> Vs. Makita® Cordless Motors with Brushes. <sup>4</sup> Protection against Overloading, Over-Discharging & Overheating.

## 36V



Learn More at [www.makita.co.nz/solutions/LXT.lsd](http://www.makita.co.nz/solutions/LXT.lsd)






**LXT**
**DLM330SM**
**Z DLM330Z**
**18V LXT Cordless Residential 330mm (13") Lawn Mower**

- Ideal for small to medium sized lawn
- 8 stage height adjustment from 20mm to 75mm
- No load speed of 4,300rpm
- 30L catcher with grass level indicator
- 2 functions: Collecting & Mulching

<b>POWER OUTPUT</b>	450W
<b>CUTTING WIDTH</b>	330mm (13")
<b>CUTTING HEIGHT</b>	20-75mm
<b>NO LOAD SPEED (RPM)</b>	4,300
<b>SKIN TOOL WEIGHT</b>	11.6kg

Kit includes:  
1 x LXT 4.0Ah battery (BL1840B) & charger (DC18SD)


**LXT**
**DLM432CT2**
**Z DLM432Z**
**18Vx2 (36V) LXT Cordless Residential 430mm (17") Lawn Mower**

- Ideal for small to medium sized lawn
- 13 stage height adjustment
- No load speed of 3,600rpm
- 50L catcher with grass level indicator
- 2 functions: Collecting & Mulching

<b>POWER OUTPUT</b>	950W
<b>CUTTING WIDTH</b>	430mm (17")
<b>CUTTING HEIGHT</b>	20-75mm
<b>NO LOAD SPEED (RPM)</b>	3,600
<b>SKIN TOOL WEIGHT</b>	16.8kg

Kit includes:  
2 x LXT 5.0Ah batteries (BL1850B) & Dual charger (DC18SH)


**LXT X2 18V 18V 36V**
**DLM480CT2**
**Z DLM480Z**
**18Vx2 (36V) LXT 480mm (18") Lawn mower**

- 480mm (18") Durable plastic deck
- Bar blade
- No load speed of 3,200rpm
- 62L Cloth grass clipping catcher with indicator
- 8 Stage height adjustment (20-75mm)

<b>POWER OUTPUT</b>	860W
<b>CUTTING WIDTH</b>	480mm (18")
<b>CUTTING HEIGHT</b>	20-75mm
<b>NO LOAD SPEED (RPM)</b>	3,100
<b>SKIN TOOL WEIGHT</b>	24.0kg

Kit includes:  
2 x LXT 5.0Ah batteries (BL1850B) & Dual charger (DC18SH)


**LXT 18V X2 36V BRUSHLESS**
**DLM464PT2**
**Z DLM464Z**
**18Vx2 (36V) LXT Brushless 460mm (18") Metal Deck Lawn Mower**

- 460mm - 18" heavy duty metal deck
- Bar blade
- Provides instant full speed of 3,300rpm
- Quiet mode reduces noise through constant speed control
- 60L catcher

<b>POWER OUTPUT</b>	1,450W
<b>CUTTING WIDTH</b>	480mm (18")
<b>CUTTING HEIGHT</b>	20-100mm
<b>NO LOAD SPEED (RPM)</b>	2,500-3,300
<b>SKIN TOOL WEIGHT</b>	26.2kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & Dual rapid charger (DC18RD)


**64Vmax**
**LM001JM101**
**Z LM001JZ**
**64Vmax Brushless 480mm (18") Lawn Mower**

- High power cordless lawn mower powered by 64Vmax
- High power brushless motor provides 3,200rpm
- Quiet mode keeps motor at 2,500rpm for lower noise output
- Lightweight design with a plastic cutting deck for increased maneuverability

<b>POWER OUTPUT</b>	2,300W
<b>CUTTING WIDTH</b>	480mm (18")
<b>CUTTING HEIGHT</b>	20-100mm
<b>NO LOAD SPEED (RPM)</b>	2,500 -3,300
<b>SKIN TOOL WEIGHT</b>	24.0kg

Kit includes:  
1 x 4.0Ah battery (BL6440) & charger (DC64WA)


**64Vmax**
**LM004JB101**
**64Vmax Brushless 530mm (21") Self-Propelled Lawn Mower**

- Makita's most powerful battery lawnmower ever, similar to that of a 3kW class engine lawn mower
- Maximum mowing area of 3,800 runtime on fully charged BL64100
- High power brushless motor provides 2,800rpm
- Quiet mode keeps motor at 2,300rpm for lower noise output
- Self-propelled speed is 6.5km/h, the same as that of engine lawn mower

<b>POWER OUTPUT</b>	3,200W
<b>CUTTING WIDTH</b>	530mm (21")
<b>CUTTING HEIGHT</b>	20-100mm
<b>NO LOAD SPEED (RPM)</b>	2,300-2,800
<b>SKIN TOOL WEIGHT</b>	31.4kg

Kit includes:  
1x 10.0Ah battery (BL64100) & charger (DC64WA)

## Replacement Lawn mower blade

MODEL	SIZE (MM)	PART#
DLM330	330mm	GB00000042
LM003G	380mm	1913G8-3
DLM432	430mm	191D43-8
LM004G	430mm	1913H4-8
DLM480, LM001G, LM001J	480mm	191V97-3
DLM464	460mm	199367-2
DLM465	460mm	191D51-9
DLM535, DLM536, DLM537, LM001C	530mm	191D52-7
LM002G, LM004J	530mm	191V96-5

## Replacement lawn mower swing back blade



MODEL	SIZE	PART#	PART#
DLM465	460mm	191D49-6	4 pcs 191D47-0
DLM535, DLM536, DLM537, LM001C, LM002G, LM004J	530	191D50-1	4 pcs 191D48-8





**SELF-PROPELLED**  
**METAL DECK**

### LXT BRUSHLESS

**DLM465PT2** **DLM465Z**

**18Vx2 (36V) LXT Brushless 460mm (18") Deck Self-Propelled Lawn Mower**

- Self-propelled motor with variable speed
- 18" 460mm heavy duty metal deck
- High power brushless motor provides 3,300rpm
- Quiet mode keeps motor at 2,500rpm for lower noise output
- 60L cloth catcher with grass level indicator

<b>POWER OUTPUT</b>	1,600W
<b>CUTTING WIDTH</b>	480mm (18")
<b>CUTTING HEIGHT</b>	20-100mm
<b>NO LOAD SPEED (RPM)</b>	3,300
<b>SKIN TOOL WEIGHT</b>	34.7kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & Dual rapid charger (DC18RD)



**SELF-PROPELLED**  
**ALUMINUM DECK**

### LXT BRUSHLESS

**DLM537PT2** **DLM537Z**

**18Vx2 (36V) LXT Brushless 530mm (21") Aluminium Self-Propelled Deck Lawn Mower**

- Quick to engage self-propelled motor with variable speed
- 21" aluminium deck with 4 swing back blades
- High power brushless motor provides 2,800rpm
- Holds 4x 18V batteries with quick battery selection switch
- Quiet mode keeps motor at 2,300rpm for lower noise output

<b>POWER OUTPUT</b>	1,600W
<b>CUTTING WIDTH</b>	530mm (21")
<b>CUTTING HEIGHT</b>	20-100mm
<b>NO LOAD SPEED (RPM)</b>	2,300-2,800
<b>SKIN TOOL WEIGHT</b>	43.9kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & Dual rapid charger (DC18RD)



**METAL DECK**

### LXT BRUSHLESS

**DLM535PT2** **DLM535Z**

**18Vx2 (36V) LXT Brushless 530mm (21") Metal Deck Lawn Mower**

- Holds 4x 18V batteries with quick battery selection for extended run time
- High power brushless motor provides 2,800rpm
- 21" heavy duty steel deck
- 70L cloth catcher with grass level indicator
- Quiet mode keeps motor at 2,300rpm for lower noise output

<b>POWER OUTPUT</b>	1,600W
<b>CUTTING WIDTH</b>	530mm (21")
<b>CUTTING HEIGHT</b>	20-100mm
<b>NO LOAD SPEED (RPM)</b>	2,300-2,800
<b>SKIN TOOL WEIGHT</b>	34.1kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & Dual rapid charger (DC18RD)



**SELF-PROPELLED**  
**METAL DECK**

### LXT BRUSHLESS

**DLM536PT2** **DLM536Z**


**18Vx2 (36V) LXT Brushless 530mm (21") Metal Self-Propelled Deck Lawn Mower**

- Self-propelled motor with variable speed control
- 21" heavy duty steel deck with 4 swing back blades
- High power brushless motor provides 2,800rpm
- Holds 4x 18V batteries with quick battery selection switch
- 70L cloth catcher with grass level indicator

<b>POWER OUTPUT</b>	1,600W
<b>CUTTING WIDTH</b>	530mm (21")
<b>CUTTING HEIGHT</b>	20-100mm
<b>NO LOAD SPEED (RPM)</b>	2,300-2,800
<b>SKIN TOOL WEIGHT</b>	40.8kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & Dual rapid charger (DC18RD)

## LAWN MOWER COMPARISON CHART



**LIGHT DEMAND**

**MEDIUM USER**

**HEAVY DEMAND**




**DUR193F001**
**DUR193Z**
**18V LXT Cordless Line Trimmer**

- Max. cutting width of 260mm
- 5-position Adjustable cutting head
- No Load Speed of 7,800rpm
- Telescopic shaft 1,248mm to 1,436mm with loop-handle
- Easy-loading bump and feed trimmer head
- 1.65mm four-leaf nylon line

POWER OUTPUT	280W
NO LOAD SPEED (RPM)	7,800
NYLON HEAD	260mm
METAL BLADE	-
CHISEL BLADE	-
SHREDDER BLADE	-
PLASTIC BLADE	-
SPINDLE THREAD	M8 x 1.25 RH
OVERALL LENGTH	1,436mm
SKIN TOOL WEIGHT	1.7kg

Kit includes:

1 x LXT 3.0Ah battery (BL1830B) &amp; charger (DC18WC)


**DUR189ST**
**DUR189Z**
**18V LXT Cordless Line Trimmer**

- Adjustable telescopic shaft with ergonomic curve
- Automatic Torque Drive Technology (ADT)
- No Load Speed of 6,000rpm
- 4 Variable Speeds (Low, Medium, High, ATD Mode)
- 2mm diameter dual nylon line

POWER OUTPUT	240W
NO LOAD SPEED (RPM)	6,000 / 5,300 / 3,500
NYLON HEAD	300mm
METAL BLADE	-
CHISEL BLADE	-
SHREDDER BLADE	-
PLASTIC BLADE	255mm
SPINDLE THREAD	M8 x 1.25 RH
OVERALL LENGTH	1,436mm
SKIN TOOL WEIGHT	2.8kg

Kit includes:

1 x LXT 5.0Ah battery (BL1850B) &amp; charger (DC18SD)


**DUR368APT2**
**DUR368AZ**
**18Vx2 (36V) LXT Brushless Line Trimmer- Bike Handle**

- Powerful brushless motor with 3 stage speed control
- Automatic Torque Drive technology increases torque when under load
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	550W
NO LOAD SPEED (RPM)	6,500 / 5,300 / 3,500
NYLON HEAD	350mm
METAL BLADE	230mm
CHISEL BLADE	-
SHREDDER BLADE	-
PLASTIC BLADE	255mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,758mm
SKIN TOOL WEIGHT	3.6kg

Kit includes:

2 x LXT 5.0Ah batteries (BL1850B) &amp; dual charger (DC18RD)


**DUR368LPT2**
**DUR368LZ**
**18Vx2 (36V) LXT Brushless Line Trimmer- Loop Handle**

- Powerful brushless motor with 3 stage speed control
- Automatic Torque Drive technology increases torque when under load
- Convenient reverse switch to quickly remove tangled grass

POWER OUTPUT	550W
NO LOAD SPEED (RPM)	6,500 / 5,300 / 3,500
NYLON HEAD	350mm
METAL BLADE	230mm
CHISEL BLADE	-
SHREDDER BLADE	-
PLASTIC BLADE	255mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,758mm
SKIN TOOL WEIGHT	3.3kg

Kit includes:

2 x LXT 5.0Ah batteries (BL1850B) &amp; dual charger (DC18RD)


**DUR369APT2**
**DUR369AZ**
**18Vx2 (36V) LXT Brushless Line Trimmer- Bike Handle**

- Powerful brushless motor produces 1kW maximum output ( Same as 30cc petrol power engine)
- ADT - increases torque when under load
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	550W
NO LOAD SPEED (RPM)	6,500 / 5,300 / 3,500
NYLON HEAD	430mm
METAL BLADE	255mm
CHISEL BLADE	-
SHREDDER BLADE	-
PLASTIC BLADE	255mm / 305mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,846mm
SKIN TOOL WEIGHT	5.3kg

Kit includes:

2 x LXT 5.0Ah batteries (BL1850B) &amp; dual charger (DC18RD)


**DUR369LPT2**
**DUR369LZ**
**18Vx2 (36V) LXT Brushless Line Trimmer- Bike Handle**

- Powerful brushless motor with 3 stage speed control
- Automatic Torque Drive technology increases torque when under load
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	550W
NO LOAD SPEED (RPM)	6,500 / 5,300 / 3,500
NYLON HEAD	430mm
METAL BLADE	255mm
CHISEL BLADE	-
SHREDDER BLADE	-
PLASTIC BLADE	255mm / 305mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,846mm
SKIN TOOL WEIGHT	5.1kg

Kit includes:

2 x LXT 5.0Ah batteries (BL1850B) &amp; dual charger (DC18RD)

## CORDLESS LINE TRIMMER / BRUSHCUTTER

Makita® LXT® Brush cutter, Line Trimmers combine efficient cutting performance with the convenience of cordless operation. For trimming or edging, Makita LXT String Trimmers are ready to work when you are, but with reduced noise, less maintenance, and none of the emissions associated with petrol-powered equipment. Best of all, they run on the same 18V batteries that power 325+ products\* in the expansive LXT® System.



## CORDLESS BENEFITS















**NO PETROL,  
NO MIXING**

**INSTANT  
START UPS**

**REDUCED  
MAINTENANCE**



# LINE TRIMMER / BRUSHCUTTER COMPARISON CHART

POWER OUTPUT WATTS	NYLON	PLASTIC	METAL	CHISEL BLADE	SHREDDER
 UR012G <b>2.0 KW</b>	480MM	305MM	255 / 305MM	225MM	270MM
 UR014G <b>1.5 KW</b>	450MM	-	-	-	-
 UR006G <b>1.0 KW</b>	430MM	255 / 305MM	255MM	-	-
 UR008G <b>1.0 KW</b>			-	-	-
 UR002G	350MM	255MM	230MM	-	-
 UR003G					
 UR016G	330MM	255MM	230MM	-	-
 UR017G					
 UR201C <b>1.0 KW</b>	430MM	255 / 305MM	255MM	-	-
 DUR369A <b>1.0 KW</b>	430MM	255 / 305MM	230 / 255MM	225MM	-
 DUR369L <b>1.0 KW</b>				-	-
 DUR368A	350MM	255MM	230 / 255MM	-	-
 DUR368L					
 DUR189	300MM	255MM	-	-	-
 DUR193	260MM	-	-	-	-
TYPES OF APPLICATION	LIGHT DEMAND	MEDIUM USER	HEAVY USER		

BLADE SELECTION GUIDE		LIGHT DEMAND SHORT AND SOFT GRASS			MEDIUM USER TALL AND HARD GRASS			HEAVY USER BUSHES / SMALL TREE / SHRUBS		
NYLON CORD										
PLASTIC BLADE										
METAL BLADE										
										
										
BRUSHCUTTER BLADE										
SHREDDER BLADE										
CHISEL BLADE										




**DUX18ZX2**


**18V LXT Brushless Split shaft Power Head w/ 330mm trimmer attachment**

- No load speed of 9,700rpm
- 2 stage speed control with variable speed trigger
- Lightweight design minimises user fatigue during long periods of use
- Lever style lock system allows for quick tool-less installation and replacement of attachments

<b>POWER OUTPUT</b>	470W
<b>NO LOAD SPEED (RPM)</b>	
<b>HIGH</b>	9,700
<b>LOW</b>	6,800
<b>HANDLE STYLE</b>	Loop handle
<b>VARIABLE SPEED</b>	Yes
<b>REVERSING SWITCH</b>	Yes
<b>OVERALL LENGTH</b>	977mm
<b>SKIN TOOL WEIGHT</b>	2.5g

Combo Includes: Skin tool with EM409MP


**DUX18STX2**

**18V LXT Brushless Split shaft Power Head w/ 330mm trimmer attachment 5.0Ah kit**

- No load speed of 9,700rpm
- 2 stage speed control with variable speed trigger
- Lever style lock system allows for quick tool-less installation and replacement of attachments

<b>POWER OUTPUT</b>	470W
<b>NO LOAD SPEED (RPM)</b>	
<b>HIGH</b>	9,700
<b>LOW</b>	6,800
<b>SPINDLE THREAD SIZE</b>	M10 x 1.25 LH
<b>VARIABLE SPEED</b>	Yes
<b>REVERSING SWITCH</b>	Yes
<b>OVERALL LENGTH</b>	1,813mm
<b>KIT WEIGHT</b>	3.8g

Kit includes:  
1 x LXT 5.0Ah battery (BL1850B) & charger (DC18SD)  
EM409MP line trimmer attachment


**DUX18STX11**

**18V LXT Brushless Split shaft Power Head w/ 300mm Pole Saw attachment 5.0Ah kit**

- No load speed of 9,700rpm
- 2 stage speed control with variable speed trigger
- Lever style lock system allows for quick tool-less installation and replacement of attachments

<b>POWER OUTPUT</b>	470W
<b>NO LOAD SPEED (RPM)</b>	
<b>HIGH</b>	9,700
<b>LOW</b>	6,800
<b>MAX CUTTING WIDTH</b>	296mm
<b>VARIABLE SPEED</b>	Yes
<b>REVERSING SWITCH</b>	Yes
<b>OVERALL LENGTH</b>	1,890mm
<b>KIT WEIGHT</b>	4.5g

Kit includes:  
1 x LXT 5.0Ah battery (BL1850B) & charger (DC18SD)  
EY403MP pole saw attachment


**DUX18STX13**

**18V LXT Brushless Split shaft Power Head w/ Pole Saw + trimmer attachment 5.0Ah kit**

- No load speed of 9,700rpm
- 2 stage speed control with variable speed trigger
- Lever style lock system allows for quick tool-less installation and replacement of attachments

<b>POWER OUTPUT</b>	470W
<b>NO LOAD SPEED (RPM)</b>	
<b>HIGH</b>	9,700
<b>LOW</b>	6,800
<b>MAX CUTTING WIDTH</b>	296mm
<b>SPINDLE THREAD SIZE</b>	M10 x 1.25 LH
<b>REVERSING SWITCH</b>	Yes
<b>OVERALL LENGTH</b>	1,890mm
<b>KIT WEIGHT</b>	6.0g

Kit includes:  
1 x LXT 5.0Ah battery (BL1850B) & charger (DC18SD)  
EY403MP pole saw, EM409MP line trimmer attachment


**DUX60PT2**

**18Vx2 (36V) LXT Brushless Split shaft Power Head**

- Powerful Brushless 52 Motor Enables to Work under Heavy Load
- No Load Speed of 9,700rpm
- 3 Speed selection (High/Medium/ Low)
- Compatible with a variety of Makita couple shaft attachments for various applications
- Variable speed trigger switch for controlled cutting speed

<b>POWER OUTPUT</b>	600W
<b>NO LOAD SPEED (RPM)</b>	9,700
<b>MED</b>	8,200
<b>LOW</b>	5,700
<b>HANDLE STYLE</b>	Loop handle
<b>VARIABLE SPEED</b>	Yes
<b>REVERSING SWITCH</b>	Yes
<b>OVERALL LENGTH</b>	1,011mm
<b>SKIN TOOL WEIGHT</b>	3.4kg

Kit includes:  
2 x LXT 5.0Ah batteries (BL1850B) & dual charger (DC18RD)


**DUX60ZM6**

**18Vx2 (36V) LXT Brushless Split shaft Power Head w/ 420mm Trimmer Attachment**

- Powerful Brushless 52 Motor Enables to Work under Heavy Load
- No Load Speed of 9,700rpm
- 3 Speed selection (High/Medium/ Low)
- Variable speed trigger switch for controlled cutting speed

<b>POWER OUTPUT</b>	600W
<b>NO LOAD SPEED (RPM)</b>	9,700
<b>MED</b>	8,200
<b>LOW</b>	5,700
<b>SPINDLE THREAD SIZE</b>	M10 x 1.25 LH
<b>VARIABLE SPEED</b>	Yes
<b>REVERSING SWITCH</b>	Yes
<b>OVERALL LENGTH</b>	1,847mm
<b>KIT WEIGHT</b>	4.7kg

Combo Includes: Skin tool with EM406MP line trimmer

**OPTIONAL ATTACHMENT**


**EM406MP**  
Line Trimmer attachment  
420mm x 2.0



**EM409MP**  
Line Trimmer attachment  
330mm x 2.0



**EM407MP**  
Rotary Scissors attachment



**EE400MP**  
Edge Trimmer attachment



**EY403MP**  
300mm Pole saw attachment



**EN410MP**  
Hedge trimmer Straight attachment



**EN401MP**  
Pole hedge trimmer Attachment



**EN402MP**  
Hedge trimmer Attachment



**EN420MP**  
Ground trimmer Attachment



**EN422MP**  
Ground Trimmer Attachment



**EN424MP**  
T-shape Ground Trimmer Attachment



**KR401MP**  
Cultivator Attachment



**BR400MP**  
Power Brush Sweeper



**SW400MP**  
Rubber Paddle Power Sweeper



**UB401MP**  
Blower Attachment



**UB402MP**  
Blower Attachment



**PF400MP**  
Pump Attachment



**LE400MP**  
Shaft Extension Attachment



**LXT****DUB186ST**

Z DUB186Z

**18V LXT Floor Blower**

- Long leaf blower nozzle, ideal for clearing gardens & pathways
- 3 stage air volume settings & variable speed trigger
- Max. air velocity of 244.8km/h & max. air volume of 3.2m³/min
- Lightweight at only 2.1kg with battery
- Up to 2 hours runtime with 5.0Ah battery

<b>NO LOAD SPEED (RPM)</b>	18,000
<b>MAX AIR SPEED</b>	68m/s
<b>BLOWING FORCE</b>	2.5N
<b>MAX.AIR VELOCITY</b>	244.8km/h
<b>MAX.AIR VOLUME (m³)</b>	3.2m³/min / 113CFM
<b>NOISE dB(A)</b>	86db(A)
<b>OVERALL LENGTH</b>	861mm
<b>SKIN TOOL WEIGHT</b>	1.5kg

Kit includes:  
1 x LXT 5.0Ah battery (BL1850B) & charger (DC18SD)

**LXT****DUB187T001**

Z DUB187Z

**18V LXT Brushless Blower / Vacuum**

- Cruise control with variable speed trigger
- Vacuum bag capacity 25L
- Shredder blades for mulching
- 6m³/min Vacuuming air volume and 230km/h max blowing velocity
- Shoulder strap and front wheels reduce user fatigue
- Simple switch to convert to blower

<b>NO LOAD SPEED (RPM)</b>	9,000- 13,500
<b>MAX AIR SPEED</b>	68m/s
<b>MAX AIR SPEED (VAC)</b>	6.1m³/min
<b>BLOWING FORCE</b>	4.2N
<b>MAX.AIR VELOCITY</b>	230km/h
<b>MAX.AIR VOLUME (m³)</b>	4.2m³/min / 473CFM
<b>NOISE dB(A)</b>	94db(A)
<b>OVERALL LENGTH</b>	1,168mm
<b>SKIN TOOL WEIGHT</b>	3.4kg

Kit includes:  
1 x LXT 5.0Ah battery (BL1850B) & charger (DC18WC)

**LXT****DUB363PT2V**

Z DUB363ZV

**18Vx2 (36V) LXT Brushless Blower / Vacuum**

- Cruise control function
- Vacuum mulching function with 50L capacity bag
- 13.4m³/min air volume & 3.2kPa max suction
- Powerful 234km/h air speed
- Interlock stops start up if nozzle/fan cover incorrectly installed

<b>NO LOAD SPEED (RPM)</b>	5,300- 7,850
<b>MAX AIR SPEED</b>	65m/s
<b>MAX AIR SPEED (VAC)</b>	12.7m³/min
<b>BLOWING FORCE</b>	14.4N
<b>MAX.AIR VELOCITY</b>	245km/h
<b>MAX.AIR VOLUME (m³)</b>	13.4m³/min / 473CFM
<b>NOISE dB(A)</b>	94db(A)
<b>OVERALL LENGTH</b>	1,396mm
<b>SKIN TOOL WEIGHT</b>	6.8kg

Kit includes:  
2 x LXT 5.0Ah batteries (BL1850B) & dual charger (DC18RD)

**LXT****DUB184RT**

Z DUB184Z

**18V LXT Brushless Blower**

- Variable speed trigger with cruise control function
- Powerful 187.6km/h air speed
- 13m³/min air volume / 459 CFM
- Lightweight at 3.0kg with battery
- Protection against dust and moisture XPT technology

<b>NO LOAD SPEED (RPM)</b>	18,000
<b>MAX AIR SPEED</b>	51.2m/s
<b>BLOWING FORCE</b>	11N
<b>MAX.AIR VELOCITY</b>	187km/h
<b>MAX.AIR VOLUME (m³)</b>	13.0m³/min / 459CFM
<b>NOISE dB(A)</b>	96db(A)
<b>OVERALL LENGTH</b>	824mm
<b>SKIN TOOL WEIGHT</b>	2.4kg

Kit includes:  
1 x LXT 5.0Ah battery (BL1850B) & rapid charger (DC18RC)

**X2****DUB362PT2**

Z DUB362Z

**18Vx2 (36V) LXT Brushless Blower**

- Lightweight
- 3-stage telescoping long nozzle for user convenience
- Swift 194.4km/h & 13.4m³/min air volume
- Variable speed dial and lock on switch
- Optimum grip to frame angle
- In-line fan design provides better tool balance and improved ergonomics

<b>NO LOAD SPEED (RPM)</b>	11,400-21,500
<b>MAX AIR SPEED</b>	54m/s
<b>BLOWING FORCE</b>	20N
<b>MAX.AIR VELOCITY</b>	194km/h
<b>MAX.AIR VOLUME (m³)</b>	13.4m³/min / 473CFM
<b>NOISE dB(A)</b>	87.7db(A)
<b>OVERALL LENGTH</b>	930mm
<b>SKIN TOOL WEIGHT</b>	2.8kg

Kit includes:  
2 x LXT 5.0Ah batteries (BL1850B) & dual charger (DC18RD)

## BACKPACK BLOWER / BLOWER / BLOWER VACUUM COMPARISON CHART



DUB186	DUB187	DUB363	DUB184	DUB362	UB001G	UB001C	UB002C
<b>BLOWER</b>	<b>BLOWER / VACUUM</b>		<b>BLOWER</b>				
0-18,000	9,000/13,500	5,300/ 7,850	0-18,000 RPM	11,400-21,500	20,000/23,000	21,000-24,000	22,000
Max Air Speed 68m/s	Max Air Speed 68m/s	Max Air Speed 65m/s	Max Air Speed 51.2m/s	Max Air Speed 54m/s	Max Air Speed 64m/s	Max Air Speed 70m/s	Max Air Speed 76m/s
Blow Force 2.5 N	Blow Force 4.2N	Blow Force 14.4N	Blow Force 11 N	Blow Force 14.4 N	Blow Force 17 N	Blow Force 20 N	Blow Force 22 N
Max. Velocity 244.8km/h	Max. Velocity 230km/h	Max. Velocity 245km/h	Max. Velocity 187 km/h	Max. Velocity 194 km/h	Max. Velocity 230 km/h	Max. Velocity 252 km/h	Max. Velocity 257 km/h
Air Vol. m³/min Blower 3.2	Air Vol. m³/min Vac / Blower 6.1 / 4.2	Air Vol. m³/min Vac / Blower 12.7 / 13.4	Air Vol. m³/min 13 / 459 CFM	Air Vol. m³/min 13.4 / 473 CFM	Air Vol. m³/min 16 / 565 CFM	Air Vol. m³/min 17.6 / 622 CFM	Air Vol. m³/min 19 / 634 CFM
Noise dB(A) 86	Noise dB(A) 94	Noise dB(A) 94	Noise dB(A) 96	Noise dB(A) 87.7	Noise dB(A) 94.1	Noise dB(A) 92.9	Noise dB(A) 95.5
18V	18V	18V	18V	18Vx2 (36V)	40Vmax	ConnectX	ConnectX




**DUC101SF** NEW **Z DUC101Z**
**18V LXT Brushless 100mm Pruning Saw**

- Pruning saw intended for pruning both trees and shrubs and reducing pruning waste
- Lightweight at 1.96kg with 3.0Ah battery
- Narrow 1.1mm chain for longer runtime
- Max chain speed of 8.0m/s for smooth cutting
- Automatic chain lubrication

POWER OUTPUT	320W
BAR & CHAIN LENGTH	(4") 100mm
OIL TANK CAPACITY	55ml
STANDARD CHAIN	325 / 043
CHAIN SPEED: m/3	480m/min
NOISE: dB	87dB
TOOLLESS CHANGE	Yes
OVERALL LENGTH	357mm
SKIN TOOL WEIGHT	1.26kg

Kit includes:  
1 x 3.0Ah battery (BL1830B) & charger (DC18SD)


**DUC254RTN** **Z DUC254ZN**
**18V LXT Brushless 250mm 10" Top Handle Chainsaw**

- Powerful Brushless Motor, lightweight
- Torque Boost Mode
- Chain Speed of 1,440m/min
- Ring and top handle layout perfect for climbing

POWER OUTPUT	570W
BAR & CHAIN LENGTH	(10") 250mm
OIL TANK CAPACITY	140ml
STANDARD CHAIN	1/4" / 043
CHAIN SPEED: m/3	1,440m/min
NOISE: dB	92.2dB
TOOLLESS CHANGE	No
OVERALL LENGTH	482mm
SKIN TOOL WEIGHT	2.7kg

Kit includes:  
1 x 5.0Ah battery (BL1850B) & rapid charger (DC18RC)


**DUC254RTNR** **Z DUC254ZNR**
**18V LXT Brushless 250mm 10" Top Handle Chainsaw**

- Powerful Brushless Motor, lightweight
- Torque Boost Mode
- Chain Speed of 1,440m/min
- Ring and top handle layout perfect for climbing
- Orange High Visibility variation

POWER OUTPUT	570W
BAR & CHAIN LENGTH	(10") 250mm
OIL TANK CAPACITY	140ml
STANDARD CHAIN	1/4" / 043
CHAIN SPEED: m/3	1,440m/min
NOISE: dB	92.2dB
TOOLLESS CHANGE	No
OVERALL LENGTH	482mm
SKIN TOOL WEIGHT	2.7kg

Kit includes:  
1 x 5.0Ah battery (BL1850B) & rapid charger (DC18RC)


**DUC407RTX2** **Z DUC407ZX2**
**18V LXT Brushless 400mm 16" Chainsaw**

- Gear reduction for increased cutting torque
- Adjustable chain oiling
- Chain speed of up to 460m/min
- XPT for increased dust and moisture resistance
- Electric chain brake for fast stopping

POWER OUTPUT	610W
BAR & CHAIN LENGTH	(16") 400mm
OIL TANK CAPACITY	150ml
STANDARD CHAIN	3/8" / 043
CHAIN SPEED: m/3	460m/min
NOISE: dB	97dB
TOOLLESS CHANGE	Yes
OVERALL LENGTH	428mm
SKIN TOOL WEIGHT	2.9kg

Kit includes:  
1 x 5.0Ah battery (BL1850B) & rapid charger (DC18RC)


**DUC400PT2** **Z DUC400Z**
**18Vx2 (36V) LXT Brushless 400mm 16" Chainsaw**

- Improved tool-less chain adjustment
- Metal Spike providing more control
- Chain Speed of 1,200m/min
- Variable speed trigger
- Adjustable chain oiling

POWER OUTPUT	1,100W
BAR & CHAIN LENGTH	(16") 400mm
OIL TANK CAPACITY	200ml
STANDARD CHAIN	3/8" / 043
CHAIN SPEED: m/3	1,200m/min
NOISE: dB	87.7dB
TOOLLESS CHANGE	Yes
OVERALL LENGTH	800mm
SKIN TOOL WEIGHT	4.2kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)


**DUC400PT2R** **Z DUC400ZR**
**18Vx2 (36V) LXT Brushless 400mm 16" Chainsaw**

- Improved tool-less chain adjustment
- Metal Spike providing more control
- Chain Speed of 1,200m/min
- Variable speed trigger
- Adjustable chain oiling
- Orange High Visibility variation

POWER OUTPUT	1,100W
BAR & CHAIN LENGTH	(16") 400mm
OIL TANK CAPACITY	200ml
STANDARD CHAIN	3/8" / 043
CHAIN SPEED: m/3	1,200m/min
NOISE: dB	87.7dB
TOOLLESS CHANGE	Yes
OVERALL LENGTH	800mm
SKIN TOOL WEIGHT	4.2kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)


**DUA301PT2** **Z DUA301Z**
**18Vx2 (36V) LXT Brushless 300mm 12" Telescopic Pole Saw**

- Telescopic design provides high reach over 4m
- Torque Boost Mode maximises output to power through thicker branches
- Chain speed of 20m/s for fast smooth cutting
- Integrated branch hook to easily remove cut branches

POWER OUTPUT	1,000-1,400W
BAR & CHAIN LENGTH	(12") 300mm
OIL TANK CAPACITY	160ml
STANDARD CHAIN	3/8" / 043
CHAIN SPEED: m/3	1,200m/min
NOISE: dB	105dB
TOOLLESS CHANGE	No
OVERALL LENGTH	2,826mm
SKIN TOOL WEIGHT	7.3kg

Kit includes:  
1 x 5.0Ah battery (BL1850B) & rapid charger (DC18RC)


**RIGHT FIT FOR THE JOB**


**Slip-on Trekdry Gloves**  
Med (B-90364), L (B-90423)  
X-Large (B-90439)



**Abrasion Resistant Gloves**  
Med (B-90342), L (B-90386)  
X-Large (B-90392)



**Impact & Vibration Gloves**  
Med (B-90370) Large (B-90445)  
X-Large (B-90451)



**C5 Cut Resistant Gloves**  
Medium (B-90358), Large (B-90401)  
X-Large (B-90417)



**DUC353PT2****Z DUC353Z****18Vx2 (36V) LXT Brushless 350mm  
14" Chainsaw**

- High efficiency brushless motor provides power equivalent to a 32cc petrol chainsaw
- Variable speed trigger
- Chain Speed of 1,200m/min
- Adjustable chain oiling

**DUC353PT2R****Z DUC353ZR****18Vx2 (36V) LXT Brushless 350mm  
14" Chainsaw**

- High efficiency brushless motor provides power equivalent to a 32cc petrol chainsaw
- Variable speed trigger
- Chain Speed of 1,200m/min
- Adjustable chain oiling
- Orange High Visibility variation

**DUC356PT2****Z DUC356Z****18Vx2 (36V) LXT Brushless 350mm  
14" Top handle Chainsaw**

- Torque boost mode - increases torque for better cutting efficiency
- Additional safety & control with a kickback brake and metal bumper
- XPT for increased dust and moisture resistance

**DUC356PT2R****Z DUC356ZR****18Vx2 (36V) LXT Brushless 350mm  
14" Top handle Chainsaw**

- Torque boost mode - increases torque for better cutting efficiency
- Additional safety & control with a kickback brake and metal bumper
- XPT for increased dust and moisture resistance
- Orange High Visibility variation

<b>POWER OUTPUT</b>	1,100W
<b>BAR &amp; CHAIN LENGTH</b>	(14") 350mm
<b>OIL TANK CAPACITY</b>	200ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	87.7dB
<b>TOOLLESS CHANGE</b>	Yes
<b>OVERALL LENGTH</b>	270mm
<b>SKIN TOOL WEIGHT</b>	3.5kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)

<b>POWER OUTPUT</b>	1,100W
<b>BAR &amp; CHAIN LENGTH</b>	(14") 350mm
<b>OIL TANK CAPACITY</b>	200ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	87.7dB
<b>TOOLLESS CHANGE</b>	Yes
<b>OVERALL LENGTH</b>	270mm
<b>SKIN TOOL WEIGHT</b>	3.5kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)

<b>POWER OUTPUT</b>	1,200W
<b>BAR &amp; CHAIN LENGTH</b>	(14") 350mm
<b>OIL TANK CAPACITY</b>	200ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	89dB
<b>TOOLLESS CHANGE</b>	No
<b>OVERALL LENGTH</b>	270mm
<b>SKIN TOOL WEIGHT</b>	3.5kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)

<b>POWER OUTPUT</b>	1,200W
<b>BAR &amp; CHAIN LENGTH</b>	(14") 350mm
<b>OIL TANK CAPACITY</b>	200ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	89dB
<b>TOOLLESS CHANGE</b>	No
<b>OVERALL LENGTH</b>	270mm
<b>SKIN TOOL WEIGHT</b>	3.5kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)

**LXT BRUSHLESS****XGT****LXT BRUSHLESS****XGT****LXT BRUSHLESS****LXT BRUSHLESS****LXT BRUSHLESS****XGT**

<b>DUC254</b>	<b>UC002G</b>	<b>DUC356</b>	<b>UC004G</b>	<b>DUC353</b>	<b>DUC407</b>	<b>DUC400</b>	<b>UC013G</b>
<b>TOP HANDLE</b>				<b>REAR HANDLE</b>			
250mm	250mm	350mm	400mm	350mm	400mm	400mm	450mm
(10")	(10")	(14")	(16")	(14")	(16")	(16")	(18")
480m/min	1,490m/min	1,200m/min	1,490m/min	1,200m/min	460m/min	1,200m/min	1,200m/min
260ml Oil	260ml Oil	200ml Oil	200ml Oil	200ml Oil	150ml Oil	200ml Oil	260ml Oil
Noise 104dB	Noise 104dB	Noise 89dB	Noise 100dB	Noise 87.7dB	Noise 97dB	Noise 87.7dB	Noise 104dB
1/4 / 043	.325 / 043	3/8 / 043	3/8 / 043	3/8 / 043	3/8 / 043	3/8 / 043	.325 / 043
18V	40Vmax	36 (18x2)	40Vmax	36 (18x2)	18V	36 (18x2)	40Vmax

Best using BL4050F


**LXT**
**DUH523SF**
**DUH523Z**
**18V LXT 520mm Hedge Trimmer**

- Lightweight
- 15mm maximum cutting diameter
- Two handed safety switch
- Double action blade - 520mm length
- Anti-vibration structure is engineered with five cushions within the motor housing to help minimise vibration

POWER OUTPUT	210W
STROKES PER MIN	2,700
BLADE LENGTH	520mm
MAX.BRANCH THICKNESS	15mm
MAX.CUT OPENING	28mm
NOISE: dB	86dB
VIBRATION LEVEL	2.5 m/s <sup>2</sup>
OVERALL LENGTH	938mm
SKIN TOOL WEIGHT	2.65kg

Kit includes:  
1 x 3.0Ah battery (BL1830B) & charger (DC18SD)


**LXT**
**DUH507F001**
**DUH507Z**
**18V LXT 500mm Hedge Trimmer**

- 26% lighter than the current model DUH523
- New blade design with reduced friction increases runtime
- Anti-vibration structure reduces vibrations transferred to the user
- 15mm maximum cutting diameter
- Two handed safety switch
- Electric brake for fast blade stopping

POWER OUTPUT	250W
STROKES PER MIN	2,700
BLADE LENGTH	520mm
MAX.BRANCH THICKNESS	15mm
MAX.CUT OPENING	26mm
NOISE: dB	85dB
VIBRATION LEVEL	1.1m/s <sup>2</sup>
OVERALL LENGTH	925mm
SKIN TOOL WEIGHT	2.35kg

Kit includes:  
1 x 3.0Ah battery (BL1830B) & charger (DC18SD)


**LXT BRUSHLESS**
**DUH606SF**
**DUH606ST**
**DUH606Z**
**18V LXT 600mm Hedge Trimmer**

- Compact and lightweight for increased maneuverability
- Large 20mm cutting capacity
- 2 handed starting switch prevents accidental starting
- Double action blade - 600mm length
- XPT technology that protects against dust and moisture

POWER OUTPUT	320W
STROKES PER MIN	4,000
BLADE LENGTH	600mm
MAX.BRANCH THICKNESS	20mm
MAX.CUT OPENING	30mm
NOISE: dB	92dB
VIBRATION LEVEL	1.5m/s <sup>2</sup>
OVERALL LENGTH	1,116mm
SKIN TOOL WEIGHT	2.7kg

1 x 3.0Ah battery (BL1830B) & charger (DC18SD)  
1 x 5.0Ah battery (BL1850B) & charger (DC18SD)


**LXT BRUSHLESS**
**DUH602RT**
**DUH602Z**
**18V LXT 600mm Hedge Trimmer**

- Rotating rear handle can be adjusted 90° left and right
- Anti-vibration structure reduces vibrations transferred to the user
- 21.5mm maximum cutting diameter
- 3 stage variable speed control
- Blade release function reversing blade direction if jamming occurs

POWER OUTPUT	520W
STROKES PER MIN	2,000 / 3,600 / 4,400
BLADE LENGTH	600mm
MAX.BRANCH THICKNESS	21.5mm
MAX.CUT OPENING	35mm
NOISE: dB	87.4dB
VIBRATION LEVEL	3.0m/s <sup>2</sup>
OVERALL LENGTH	1,221mm
SKIN TOOL WEIGHT	2.7kg

(ombo kit includes:  
1 x 5.0Ah battery (BL1850B) & charger (DC18RC)


**LXT BRUSHLESS**
**DUH751RT**
**DUH751Z**
**18V LXT 750mm Hedge Trimmer**

- New blade design with reduced friction increases runtime
- Rotating rear handle can be adjusted 90° left and right
- 23.5mm maximum cutting diameter
- Anti-vibration structure reduces vibrations transferred to the user
- 3 stage variable speed control

POWER OUTPUT	520W
STROKES PER MIN	2,000 / 3,600 / 4,400
BLADE LENGTH	750mm
MAX.BRANCH THICKNESS	23.5mm
MAX.CUT OPENING	35mm
NOISE: dB	93dB
VIBRATION LEVEL	2.5m/s <sup>2</sup>
OVERALL LENGTH	1,261mm
SKIN TOOL WEIGHT	3.9kg

Kit includes:  
1 x 5.0Ah battery (BL1850B) & charger (DC18RC)


**LXT**
**DUN461WSF**
**DUN461WZ**
**18V LXT 460mm Pole Hedge Trimmer**

- Trim tall hedges or prune the twigs or thin branches of tall trees without using stepladder
- Telescopic shaft reaches up to 4m
- 10 blade positions with one touch angle adjustment
- 18mm maximum branch diameter
- Blade speeds of up to 3,600spm

POWER OUTPUT	250W
STROKES PER MIN	3,600
BLADE LENGTH	460mm
TOOTH THICKNESS	1.5mm
MAX.CUT OPENING	28mm
NOISE: dB	74dB
VIBRATION LEVEL	2.5m/s <sup>2</sup>
OVERALL LENGTH	2,511mm
SKIN TOOL WEIGHT	3.0kg

Kit includes:  
1 x 3.0Ah battery (BL1830) & charger (DC18SD)


**LXT BRUSHLESS**
**DUN500WPTE**
**DUN500WZ**
**18V LXT Brushless 500mm Articulating Pole Hedge Trimmer**

- 3-speed Brushless motor delivers 4,400 SPM for faster cutting
- Easy and quick adjustment to 45° tilt-up to 70° tilt-down, with 6 angle settings and can be folded 180° for easy transport and storage
- The triple-edged / Double sided cutting blades allows for optimum smooth cutting performance

POWER OUTPUT	520W
STROKES PER MIN	2,000 / 3,600 / 4,400
BLADE LENGTH	500mm
TOOTH SPACING	35mm
MAX.CUT OPENING	23.5mm
NOISE: dB	82dB
VIBRATION LEVEL	4.7- 2.5m/s <sup>2</sup>
OVERALL LENGTH	2,115mm
SKIN TOOL WEIGHT	4.3kg

Kit includes:  
1 x 5.0Ah battery (BL1850B) & charger (DC18SD)


**LXT BRUSHLESS**
**DUN600WZ**
**18V LXT Brushless 600mm Loop handle Pole Hedge Trimmer**



- 3-speed Brushless motor delivers 4,400 SPM for faster cutting
- Optimum curved blade for smooth cutting; New triple-edged cutting teeth are designed to easily catch and firmly hold twigs, also featuring excellent sharpness; Curved blades reduce friction resistance to suppress energy loss
- Non-angle adjustable hedge trimmer head

POWER OUTPUT	520W
STROKES PER MIN	2,000 / 3,600 / 4,400
BLADE LENGTH	600mm
TOOTH SPACING	35mm
MAX.CUT OPENING	23.5mm
NOISE: dB	83dB
VIBRATION LEVEL	3.8-2.7m/s <sup>2</sup>
OVERALL LENGTH	2,050mm
SKIN TOOL WEIGHT	4.1kg



# HEDGE TRIMMER QUICK COMPARISON REFERENCE CHART GUIDE

■ STROKES PER MIN



## MAXIMUM CUTTING DIAMETER

### HEDGE TRIMMER

#### DUH507/523

15.0 mm



Standard Blade

#### DUH606

20.0 mm



Standard Blade

#### DUH602

21.5 mm



Standard Blade

#### DUH751

23.5 mm



Sharp edge curved blade

#### UH008G

21.5 mm



Standard Blade

#### UH004G UH005G


23.5 mm



Sharp edge curved blade

#### UH006G UH007G

25.0 mm



Sharp edge blade

### POLE HEDGE TRIMMER

#### DUN461

18.0 mm



Standard Blade

#### DUN500

23.5 mm



Sharp edge curved blade

#### DUN600

23.5 mm



Sharp edge curved blade


**DUM111Y001**
**DUM111ZX**
**18V LXT 110mm Grass Shear**

- 110mm Grass shear converts to 200mm hedge trimmer\*
- Lightweight design at only 1.8kg with battery
- 2,500 strokes per minute for smooth cutting
- Tool-less blade change
- Double action blade

<b>POWER OUTPUT</b>	150W
<b>STROKES PER MIN</b>	2,500
<b>HEDGE BLADE LENGTH</b>	200mm
<b>GRASS SHEAR BLADE</b>	110mm
<b>DEPTH ADJUSTMENT</b>	15 / 20 / 25mm
<b>VIBRATION LEVEL</b>	2.5m/s <sup>2</sup>
<b>NOISE LEVEL</b>	1.9 / 3.0 dB(A)
<b>OVERALL LENGTH</b>	305mm
<b>SKIN TOOL WEIGHT</b>	2.6kg

Kit includes:  
1 x 1.5Ah battery (BL1815N) & charger (DC18WC)


**DUP362PT2**
**DUP362Z**
**18Vx2 (36V) LXT LXT Pruning Shears**

- Up to 71,000 Cuts\* using 2 x 5.0Ah Batteries
- 33mm maximum cutting diameter
- 250N cutting torque
- 54mm maximum blade opening
- Ergonomically designed handle with soft grip

<b>POWER OUTPUT</b>	200W
<b>CUTTING TORQUE</b>	250 N
<b>MAX CUTTING CAPACITY</b>	33mm
<b>MAX BLADE OPENING</b>	54mm
<b>CORD LENGTH</b>	1,100mm
<b>NOISE K FACTOR</b>	1.4dB
<b>VIBRATION LEVEL</b>	2.5 m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	305mm
<b>SKIN TOOL WEIGHT</b>	2.6kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)


**DDG460T2X8**
**DDG460ZX8**
**18Vx2 (36V) LXT Brushless Earth Auger**

- 2 speeds for effective drilling into a variety of materials
- Compatible with petrol auger drill bits
- Max. drilling capacity of 200mm
- Reverse switch allows for easy removal from material
- Earth auger handle allows for maximum control while drilling

<b>POWER OUTPUT</b>	1,350W
<b>CAPACITY</b>	150mm-200mm
<b>CHUCK CAPACITY</b>	2 - 13 mm
<b>NO LOAD SPEED (RPM)</b>	350-1,400
<b>MAX TORQUE</b>	48 high 136 low
<b>SOUND POWER LEVEL</b>	96 dB(A)
<b>VIBRATION LEVEL</b>	2.5 m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	305mm
<b>SKIN TOOL WEIGHT</b>	6.9kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)


**DHW080PT2**
**DHW080ZK**
**18Vx2 (36V) LXT Brushless Pressure Washer**

- Self-priming function allows storage box to be a cordless water source
- 50L Tank with Functional storage box
- Adjustable pressure function with two pressure modes
- 800W Max output with Max. flow rate of 380L/h
- Lightweight design at only 7.7kg 2 x 6.0Ah

<b>POWER OUTPUT</b>	800W
<b>WATER FLOW RATE</b>	5.5 L/min -High
<b>MAX PRESSURE</b>	8.0 MPa
<b>WORKING PRESSURE</b>	5.5 MPa -High
<b>MAX. FEED PRESSURE</b>	1.0 MPa
<b>MAX TEMP WATER</b>	40C°
<b>MAX. SUCTION HEIGHT</b>	1M
<b>OVERALL LENGTH</b>	438mm
<b>SKIN TOOL WEIGHT</b>	7.1kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)


**DUS054SF**
**DUS054Z**
**18V LXT 5L Sprayer**

- 5L tank with ergonomic design for user comfort
- Dual action head allows for selection between mist or jet nozzle
- Up to 8hrs runtime on a 6.0Ah battery\*
- Extendable spray lance with lock on lever
- Lightweight design at 3kg with a battery (dry weight)

<b>MAX PRESSURE</b>	0.3Mpa
<b>SOLUTION TANK</b>	5L
<b>HOSE LENGTH</b>	1.7M
<b>SPRAY WAND LENGTH</b>	500-700mm
<b>NOZZLE MOUNT THREAD</b>	G 1/4
<b>PUMP TYPE</b>	Diaphragm pump
<b>LEVER TYPE</b>	Paddle
<b>OVERALL LENGTH</b>	368mm
<b>SKIN TOOL WEIGHT</b>	2.0kg

Kit includes:  
1 x 3.0Ah battery (BL1830B) & charger (DC18SD)

**COMING SOON**

**DUS108Z**
**18V LXT 10L Backpack Sprayer**

- 10L tank with ergonomic backpack design
- 600mm lance with dual cone and flat fan nozzles
- Up to 4.5 hours continuous operation on a 3.0Ah battery\*
- Lock on lever for minimal hand fatigue
- Battery fuel gauge to monitor remaining capacity

<b>MAX PRESSURE</b>	0.5Mpa
<b>SOLUTION TANK</b>	10L
<b>HOSE LENGTH</b>	1.7M
<b>SPRAY WAND LENGTH</b>	600mm
<b>NOZZLE MOUNT THREAD</b>	G 1/4
<b>PUMP TYPE</b>	Diaphragm pump
<b>PRESSURE LEVER</b>	Paddle
<b>OVERALL LENGTH</b>	437mm
<b>SKIN TOOL WEIGHT</b>	5.25kg


**DUS158SF**
**DUS158Z**
**18V LXT 15L Backpack Sprayer**

- 15L tank with ergonomic backpack design
- 600mm lance with dual cone and flat fan nozzles
- Up to 4.5 hours continuous operation on a 3.0Ah battery\*
- Lock on lever for minimal hand fatigue
- Battery fuel gauge to monitor remaining capacity

<b>MAX PRESSURE</b>	0.5Mpa
<b>SOLUTION TANK</b>	15L
<b>HOSE LENGTH</b>	1.7M
<b>SPRAY WAND LENGTH</b>	600mm
<b>NOZZLE MOUNT THREAD</b>	G 1/4
<b>PUMP TYPE</b>	Diaphragm pump
<b>PRESSURE LEVER</b>	Paddle
<b>OVERALL LENGTH</b>	517mm
<b>SKIN TOOL WEIGHT</b>	5.55kg

Kit includes:  
1 x 3.0Ah battery (BL1830B) & charger (DC18SD)

**BACKPACK POWER SUPPLIES & ACCESSORIES**
**Backpack Power Supply**  
**CONNECTX™**

**ConnectX™ 1,200Wh Backpack Power Supply PDC1200A01**

- Ideal for all day work; expected run times with PDC1200A01 may vary by product, application, and workday amount
- Powers ConnectX , 40V max XGT® and LXT 18V X2 (36V) systems for ultimate compatibility (40V max adaptor sold separately)

**Power Supply Adapters**


**191A52-9**  
18V X2 Adaptor  
(PDC1200A01)



**191N62-4**  
40V max XGT Adaptor  
(PDC01 / PDC1200)





## LXT BRUSHLESS

### DCU180ZB

#### 18V LXT Brushless Material handler Bucket

- Holds 2x 18V batteries with battery selection switch (Only needs 1 battery to operate)
- Makita-built powerful brushless motor for optimal performance
- Maximum Load capacity of 130kg
- 2 stage speed selection High: 3.5km/h / Low: 1.5km/h

<b>MAX OUTPUT POWER</b>	250W
<b>MAX LOAD CAPACITY</b>	130kg
<b>FORWARD SPEED</b>	1.5-3.5km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX CLIMBING CAPACITY</b>	12° degrees
<b>TYPE</b>	Bucket Metal
<b>LED LIGHT</b>	Yes
<b>OVERALL LENGTH</b>	1,310mm
<b>SKIN TOOL WEIGHT</b>	39.3 - 44.8 kg



## LXT BRUSHLESS

### DCU180ZF

#### 18V LXT Brushless Material handler Frame

- Holds 2x 18V batteries with battery selection switch (Only needs 1 battery to operate)
- Makita-built powerful brushless motor for optimal performance
- Maximum Load capacity of 130kg
- 2 stage speed selection High: 3.5km/h / Low: 1.5km/h

<b>MAX OUTPUT POWER</b>	250W
<b>MAX LOAD CAPACITY</b>	130kg
<b>FORWARD SPEED</b>	1.5-3.5km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX CLIMBING CAPACITY</b>	12° degrees
<b>TYPE</b>	Pipe Frame
<b>LED LIGHT</b>	Yes
<b>OVERALL LENGTH</b>	1,560mm
<b>SKIN TOOL WEIGHT</b>	39.3 - 44.8 kg

#### 18V LXT Lithium-Ion Batteries



#### HIGHEST OUTPUT + FAST CHARGE TIME

<b>6.0Ah BATTERY</b>	<b>BL1860B</b> 18V LXT® 6.0Ah Battery	<b>5.0Ah BATTERY</b>	<b>BL1850B</b> 18V LXT® 5.0Ah Battery	<b>4.0Ah BATTERY</b>	<b>BL1840B</b> 18V LXT® 4.0Ah Battery	<b>3.0Ah BATTERY</b>	<b>BL1830B</b> 18V LXT® 3.0Ah Battery	<b>1.5Ah BATTERY</b>	<b>BL1815N</b> 18V LXT® 1.5Ah Battery
----------------------	---	----------------------	---	----------------------	---	----------------------	---	----------------------	---



#### 18V Charger DC18SD

- Charges 18V LXT® 1.5Ah battery in 30 minutes, 3.0Ah in 60 min., 4.0Ah in 90 min., 5.0Ah in 110 min.
- More cost effective option



#### 18V Rapid Optimum Charger DC18RC

- Charges 18V LXT® 1.5Ah battery in 15 minutes, 3.0Ah in 30 min., 4.0Ah in 40 min., 5.0Ah in 45 min.
- Communicates with the battery's built-in chip during the charging process to optimise battery life



#### 18V Dual Rapid Optimum Charger DC18RD

- Charges 2 batteries simultaneously
- Charges two (2) 18V LXT® Lithium-Ion 6.0Ah batteries in only 55 minutes



#### 18V LXT 5.0Ah Battery / Charger Kit 197564-4

- 2 x BL1850B 18V 5.0Ah Li-Ion Battery
- DC18RD 18V Dual Rapid Charger



### DCU603Z NEW

#### 18Vx2 LXT Brushless Material handler heaped Bucket

- 200L heaped bucket capacity
- 300kg Max load capacity up to 3° incline
- 7.2km travelling distance with 4 x 6.0Ah batteries\*
- Variable speed up to 5.0km/h + reverse
- Max climbing ability up to 12° incline

<b>MAX OUTPUT POWER</b>	1,250W
<b>MAX LOAD CAPACITY</b>	300kg
<b>FORWARD SPEED</b>	1.5, 3.5, 5.0km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX CLIMBING CAPACITY</b>	12° degrees
<b>TYPE</b>	Heaped Bucket
<b>LED LIGHT</b>	Yes
<b>OVERALL LENGTH</b>	1,480mm
<b>SKIN TOOL WEIGHT</b>	122 kg



### DCU604Z NEW

#### 18Vx2 LXT Brushless Material handler Pipe frame

- Pipe frame adjustable from 625-1,015 x 945-1,090mm
- 300kg Max load capacity up to 3° incline
- 7.2km travelling distance with 4 x 6.0Ah batteries\*
- Variable speed up to 5.0km/h + reverse
- Max climbing ability up to 12° incline
- Interchangeable buckets & frame option

<b>MAX OUTPUT POWER</b>	1,250W
<b>MAX LOAD CAPACITY</b>	300kg
<b>FORWARD SPEED</b>	1.5, 3.5, 5.0km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX CLIMBING CAPACITY</b>	12° degrees
<b>TYPE</b>	Pipe Frame
<b>LED LIGHT</b>	Yes
<b>OVERALL LENGTH</b>	1,450mm
<b>SKIN TOOL WEIGHT</b>	119 kg



### DCU605Z NEW

#### 18Vx2 LXT Brushless Material handler Flat Bucket

- 295L heaped bucket capacity
- 300kg Max load capacity up to 3° incline
- 7.2km travelling distance with 4 x 6.0Ah batteries\*
- Variable speed up to 5.0km/h + reverse
- Max climbing ability up to 12° incline

<b>MAX OUTPUT POWER</b>	1,250W
<b>MAX LOAD CAPACITY</b>	300kg
<b>FORWARD SPEED</b>	1.5, 3.5, 5.0km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX CLIMBING CAPACITY</b>	12° degrees
<b>TYPE</b>	Flat Bucket
<b>LED LIGHT</b>	Yes
<b>OVERALL LENGTH</b>	1,440mm
<b>SKIN TOOL WEIGHT</b>	104 kg

#### Material Handler replacement accessories

##### DCU180



Carrier set  
(Pipe deck)

199116-7



Bucket Set

198494-2

##### DCU603, DCU604 and DCU605



Dump bucket  
200

191B69-8



Dump unit set

191B63-0



Carrier set

191B67-2



Flat bucket set

1911B3-6



COMMERCIAL OUTPUT




### HIGHER CAPACITY

Delivers 1,200 Watt Hours of Output



### LONGER RUN TIME

Ideal for all day work\*



### ULTIMATE COMPATIBILITY

Powers ConnectX, 40V max XGT and 36V LXT systems




### DURABLE DESIGN

IPX4-rated weather-resistant construction

## HIGHER CAPACITY. NO PETROL

PROVIDES THE RUN TIME NEEDED FOR ALL DAY WORK

ConnectX™ is a run-time and power solution for use with ConnectX™ products, as well as XGT® and LXT® tools and equipment when used with an adaptor. It accelerates the transition to battery power with a Backpack Power Supply (PDC1200A01), which packs a high-capacity 1,200Wh battery for all-day work and performance without the hassles of petrol or cords.



**CONNECTX™**  
DIRECT CONNECT



**XGT**  
40V max ADAPTER



**LXT**  
36V (18V X2) ADAPTER







## CONNECTX™

### ☑ PDC1200A01

#### 36V ConnectX Portable Backpack battery 33.5Ah 1200Wh

- Comes standard with an 18Vx2 Adaptor & AC Charger
- Compatible across 3 platforms: LXT 18Vx2, XGT 40V Max & Direct Connection
- Features 1,206Wh of battery capacity providing runtimes equivalent to 11x 18V 6.0Ah batteries\*
- AC charger has charging times of 360mins

ENERGY CAPACITY	1,206Wh
VOLTAGE	36-40V
NUMBER OF CELLS	100
CHARGING TIME	360mins w/ DC24001
BATTERY FUEL GAUGE	Yes, 4 stages
WATER RESISTANCE	IPX4 equivalent
OVERALL LENGTH	369mm
SKIN TOOL WEIGHT	10.4kg

Backpack comes standard:  
18Vx2 Adaptor (191J51-5), Charger (DC4001)

COMING SOON



## CONNECTX™

### ☑ BAC01

#### ConnectX 2800W/1400W Portable Power Station

- Power converter Turns DC power into AC power, is optimal for a wide range of applications
- Multiple outputs including: 2 AC outlets, 2 Type-A USB output ports, 2 Type-C USB output ports, 1 (one) DC12V cigar socket
- 7-stage output indication by 7 LED lamps
- Can be connected firmly with accessories of MAKPAC system

ENERGY CAPACITY	2,800Wh
AC OUTPUT VOLTAGE	230V
AC OUTPUT	With Pure Sine wave
FREQUENCY	50/60 Hz switchable
AC OUTLETS	2
USB OUTPUT	2 Type A, 2 Type C
OVERALL LENGTH	395mm
SKIN TOOL WEIGHT	7.3kg

## BAC01 COMING SOON

Introducing 2800W/1400W portable power station.  
Turning DC power into AC power, is optimal for a wide range of applications



### PERFORMANCE

Max output: 2,800W with Continuous rating output: 1,400W



### COMPATIBILITY

Can be connected firmly with accessories of MAKPAC system, allowing for easy transportation on MAKPAC trolley or cart



### DESIGN

2 AC outlets, 2 Type-A USB output ports, 2 Type-C USB output ports, 1 DC12V cigar socket



### RUN-TIME

Up to 56mins Continuous run time on a fully charged power pack with discharge rate 1,000W



## CONNECTX™

### UB001CX3

### ☑ UB001CZ

#### 36V ConnectX Brushless Blower

- Powered by Makita's Portable Power Supply units
- 3-stage telescopic long nozzle with adjustment range of 100 mm for user convenience
- Impressive 17.6m³/min max air volume
- 252km/h max air velocity
- Lightweight skin weight of 2.6kg
- Cruise control function with boost mode

NO LOAD SPEED (RPM)	21,000-24,000
MAX AIR SPEED	70m/s
BLOWING FORCE	20N
MAX.AIR VELOCITY	230km/h
MAX.AIR VOLUME (m³)	17.6m³/min / 622CFM
NOISE dB(A)	94.3 dB(A)
OVERALL LENGTH	1,060mm
SKIN TOOL WEIGHT	2.6kg

Kit includes:  
Portable Backpack battery (PDC1200A01)



## CONNECTX™

### UB002CX2

### ☑ UB002CZ01

#### 36V ConnectX Brushless Backpack Blower

- Powered by 36V Portable Backpack battery offers the benefits of 50cc power
- Ergonomic backpack harness for comfortable use
- 257km/h max air velocity\*
- Up to 19.0m³/min max air volume\*
- Cruise control lever for long periods of use

NO LOAD SPEED (RPM)	22,000
MAX AIR SPEED	76m/s
BLOWING FORCE	22N
MAX.AIR VELOCITY	273km/h
MAX.AIR VOLUME (m³)	19m³/min / 634CFM
NOISE dB(A)	95.5 dB(A)
OVERALL LENGTH	1,368mm
SKIN TOOL WEIGHT	5.6kg

Kit includes:  
Portable Backpack battery (PDC1200A01)



## CONNECTX™

### UR201CX3

### ☑ UR201CZ

#### 36V ConnectX Brushless Line Trimmer - Loop Handle

- 3 stage speed control with reverse switch
- 430mm max. cutting width
- 1kW brushless motor produces power equivalent to 30cc petrol models
- Automatic Torque Drive technology increases torque under load

POWER OUTPUT	1,000W
NO LOAD SPEED (RPM)	4,600 / 4,000
NYLON HEAD	430mm
METAL BLADE	255mm
CHISEL BLADE	-
SHREDDER BLADE	-
PLASTIC BLADE	255mm / 305mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,795mm
SKIN TOOL WEIGHT	4.7kg

Kit includes:  
Portable Backpack battery (PDC1200A01)



## CONNECTX™

### LM001CX2

### ☑ LM001CZ

#### 36V ConnectX Brushless 534mm (21") Self-Propelled Lawn Mower

- Powered by Portable Power Supply units
- Maximum mowing area of 5,400m² runtime when paired with PDC1200
- High power brushless motor provides 2,800rpm
- Self-propelled drive with variable speed
- Heavy duty steel deck with 4 swing back blades

POWER OUTPUT	1,600W
CUTTING WIDTH	530mm (21")
CUTTING HEIGHT	20-100mm
NO LOAD SPEED (RPM)	2,300-2,800
SKIN TOOL WEIGHT	40.7kg

Kit includes:  
(PDC1200A01 - Portable Power Supply Kit)

# **XGT** 40V | 80V max

## A NEW SYSTEM OF EQUIPMENT AND TOOLS

XGT® is a new 40V / 80V max system of cordless equipment and tools. XGT® outpowers, outsmarts, and outlasts the competition. Through Makita's innovative engineering, the technology within XGT® will create the equipment and tools of the future.

### 40V max



# 125+

## PRODUCTS\*

---

## ONE SYSTEM






# BEYOND LIMITS



**OUTPOWER**



**OUTSMART**



**OUTLAST**



**80V<sub>max</sub>**



Learn More at [www.makita.co.nz/solutions/XGT.lsd](http://www.makita.co.nz/solutions/XGT.lsd)





## XGT 40V<sub>max</sub>

**UR002GM201** **UR002GZ**  
**UR002GM102**

**40V<sub>max</sub> XGT Brushless Brushcutter - Bike Handle**

- 3 stage speed control up to 6,500rpm with reverse switch
- Powerful brushless motor provides 0.55kW of max power output
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	550W
NO LOAD SPEED (RPM)	6,500 / 5,300 / 4,000
NYLON HEAD	330mm
4T METAL BLADE	230mm
3T METAL BLADE	230mm
SHREDDER BLADE	-
PLASTIC BLADE	255mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,760mm
SKIN TOOL WEIGHT	4.0kg

Kit includes:  
2 x 4.0Ah batteries (BL4040) & rapid charger (DC40RA)  
1 x 4.0Ah battery (BL4040) & Charger (DC40RC)



## XGT 40V<sub>max</sub>

**UR003GM201** **UR003GZ**  
**UR003GM102**

**40V<sub>max</sub> XGT Brushless Brushcutter - Loop Handle**

- 3 stage speed control up to 6,500rpm with reverse switch
- Powerful brushless motor provides 0.55kW of max power output
- Loop Handle type

POWER OUTPUT	550W
NO LOAD SPEED (RPM)	6,500 / 5,300 / 4,000
NYLON HEAD	330mm
4T METAL BLADE	230mm
3T METAL BLADE	230mm
SHREDDER BLADE	-
PLASTIC BLADE	255mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,760mm
SKIN TOOL WEIGHT	3.4kg

Kit includes:  
2 x 4.0Ah batteries (BL4040) & rapid charger (DC40RA)  
1 x 4.0Ah battery (BL4040) & Charger (DC40RC)



## XGT 40V<sub>max</sub>

**UR016GM101** **UR016GZ01**

**40V<sub>max</sub> XGT Brushless Line Trimmer - Bike Handle**

- 3 stage speed control up to 6,500rpm with reverse switch
- Powerful brushless motor provides 0.60kW of max power output
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	600W
NO LOAD SPEED (RPM)	6,500 / 5,300 / 4,000
NYLON HEAD	330mm
4T METAL BLADE	230mm
3T METAL BLADE	230mm
SHREDDER BLADE	-
PLASTIC BLADE	255mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,890mm
SKIN TOOL WEIGHT	4.01kg

Kit includes:  
1 x 4.0Ah battery (BL4040) & charger (DC40RC)



## XGT 40V<sub>max</sub>


**UR017GM101** **UR017GZ01**

**40V<sub>max</sub> XGT Brushless Line Trimmer - Loop Handle**

- 3 stage speed control up to 6,500rpm with reverse switch
- Powerful brushless motor provides 0.60kW of max power output
- Active feedback technology - prevents kickback when using a blade
- Loop Handle type

POWER OUTPUT	6000W
NO LOAD SPEED (RPM)	6,500 / 5,300 / 4,000
NYLON HEAD	330mm
4T METAL BLADE	230mm
3T METAL BLADE	230mm
SHREDDER BLADE	-
PLASTIC BLADE	255mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,792mm
SKIN TOOL WEIGHT	3.4kg

Kit includes:  
1 x 4.0Ah battery (BL4040) & charger (DC40RC)







### XGT 40Vmax

**UR006GM201** **UR006GZ02**  
**UR006GM101**

**40Vmax XGT Brushless Brushcutter - Bike Handle**

- 3 stage speed control up to 7,000rpm with reverse switch
- Powerful brushless motor provides 1.0kW of max power output
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	1,000W
NO LOAD SPEED (RPM)	7,000 / 5,500 / 4,600
NYLON HEAD	330mm
4T METAL BLADE	230 / 255mm
3T METAL BLADE	230 / 255mm
2T METAL BLADE	255mm
PLASTIC BLADE	255 / 305mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,815mm
SKIN TOOL WEIGHT	4.9kg

Kit includes:  
2 x 4.0Ah batteries (BL4040) & rapid charger (DC40RA)  
1 x 4.0Ah battery (BL4040) & rapid charger (DC40RA)



### XGT 40Vmax

**UR008GM201** **UR008GZ01**  
**UR008GM101**

**40Vmax XGT Brushless Brushcutter - Loop Handle**

- 3 stage speed control up to 7,000rpm with reverse switch
- Powerful brushless motor provides 1.0kW of max power outputs
- Active feedback technology - prevents kickback when using a blade
- Loop Handle type

POWER OUTPUT	1,000W
NO LOAD SPEED (RPM)	7,000 / 5,500 / 4,600
NYLON HEAD	330mm
4T METAL BLADE	230 / 255mm
3T METAL BLADE	230 / 255mm
2T METAL BLADE	255mm
PLASTIC BLADE	255 / 305mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,803mm
SKIN TOOL WEIGHT	5.0kg

Kit includes:  
2 x 4.0Ah batteries (BL4040) & rapid charger (DC40RA)  
1 x 4.0Ah battery (BL4040) & rapid charger (DC40RA)



### XGT 40Vmax

**UR013GM101** **UR013GZ01**

**40Vmax XGT Brushless Brushcutter - Bike Handle**

- 3 stage speed control up to 6,700rpm with reverse switch
- Powerful brushless motor provides 1.5kW of max power output
- Active feedback technology - prevents kickback when using a blade
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	1,500W
NO LOAD SPEED (RPM)	6,700 / 5,000 / 3,500
NYLON HEAD	450mm
4T METAL BLADE	255mm
2T / 3T METAL BLADE	255mm
SHREDDER BLADE	270mm
PLASTIC BLADE	305mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,966mm
SKIN TOOL WEIGHT	5.3kg

Kit includes:  
1 x 4.0Ah battery (BL4040) & rapid charger (DC40RA)



### XGT 40Vmax

**UR014GM101** **UR014GZ**

**40Vmax XGT Brushless Brushcutter - Loop Handle**

- 3 stage speed control up to 5,700rpm with reverse switch
- Powerful brushless motor provides 1.5kW of max power outputs
- Active feedback technology - prevents kickback when using a blade
- Loop Handle type

POWER OUTPUT	1,500W
NO LOAD SPEED (RPM)	5,700 / 5,000 / 4,000
NYLON HEAD	450mm
4T METAL BLADE	-
3T METAL BLADE	-
2T METAL BLADE	-
PLASTIC BLADE	-
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,958mm
SKIN TOOL WEIGHT	4.8kg

Kit includes:  
1 x 4.0Ah battery (BL4040) & rapid charger (DC40RA)



### XGT 80Vmax

**UR012GM201** **UR012GZ02**

**80Vmax (40Vx2) XGT Brushless Brushcutter - Bike Handle**

- 3 stage speed control up to 6,400rpm with reverse function
- Powerful brushless motor produces 2.0kW maximum output
- Active feedback technology - prevents kickback when using a blade
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	2,000W
NO LOAD SPEED (RPM)	6,800 / 4,200 / 3,500
NYLON HEAD	480mm
4T METAL BLADE	255mm
3T METAL BLADE	230 / 305mm
2T METAL BLADE	255mm
PLASTIC BLADE	255 / 305mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,854mm
SKIN TOOL WEIGHT	6.7kg

Kit includes:  
2 x 4.0Ah batteries (BL4040) & rapid dual charger (DC40RB)



### XGT 40Vmax

**UX01GM106** **UX01GZ**

**40Vmax XGT Brushless Split Shaft Power head**

- Powerful Brushless 52 Motor Enables to Work under Heavy Load
- No Load Speed of 9,700rpm
- 3 Speed selection (High/Medium/ Low)
- Compatible with a variety of Makita couple shaft attachments for various applications
- Variable speed trigger switch for controlled cutting speed

POWER OUTPUT	1,000W
NO LOAD SPEED (RPM)	9,700
MED	8,200
LOW	5,700
HANDLE STYLE	Loop handle
VARIABLE SPEED	Yes
REVERSING SWITCH	Yes
OVERALL LENGTH	1,027mm
SKIN TOOL WEIGHT	3.5kg

Kit includes:  
1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)

Part# and Description	
	<b>EM406MP</b> Line Trimmer attachment 420mm x 2.0
	<b>EM409MP</b> Line Trimmer attachment 330mm x 2.0
	<b>EM407MP</b> Rotary Scissors attachment
	<b>EE400MP</b> Edge Trimmer attachment
	<b>EY403MP</b> 300mm Pole saw attachment
	<b>EN410MP</b> Hedge trimmer Straight attachment
	<b>EN401MP</b> Pole hedge trimmer Attachment
	<b>EN402MP</b> Hedge trimmer Attachment
	<b>EN420MP</b> Ground trimmer Attachment

Part# and Description	
	<b>EN422MP</b> Ground Trimmer Attachment
	<b>EN424MP</b> T-shape Ground Trimmer Attachment
	<b>KR401MP</b> Cultivator Attachment
	<b>BR400MP</b> Power Brush Sweeper
	<b>SW400MP</b> Rubber Paddle Power Sweeper
	<b>UB401MP</b> Blower Attachment
	<b>UB402MP</b> Blower Attachment
	<b>PF400MP</b> Pump Attachment
	<b>LE400MP</b> Shaft Extension Attachment


**XGT 40V<sub>max</sub>**
**UC002GM103** **UC002GZ02**
**40Vmax XGT Brushless 25cm 10" Top Handle Chainsaw**

- 40Vmax XGT Outer Rotor brushless motor provides chain speed of 0-1,490m/min, Equivalent to 30cc class engine chain saw\*
- Comes with High-performance 325 saw chain for efficient cutting
- Captive bar nut allows for efficient chainsaw maintenance

POWER OUTPUT	1,400W
BAR & CHAIN LENGTH	(10") 250mm
OIL TANK CAPACITY	200ml
STANDARD CHAIN	325 / 043
CHAIN SPEED: m/3	1,490m/min
NOISE: dB	100dB
TOOLLESS CHANGE	No
OVERALL LENGTH	266mm
SKIN TOOL WEIGHT	3.8kg

Kit includes:  
1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)


**XGT 40V<sub>max</sub>**
**UC004GZ02**
**40Vmax XGT Brushless 35cm 14" Top Handle Chainsaw**

- 40Vmax XGT Outer Rotor brushless motor provides chain speed of 0-1,490m/min, Equivalent to 30cc class engine chain saw\*
- Comes with High-performance 325 saw chain for efficient cutting
- Captive bar nut allows for efficient chainsaw maintenance

POWER OUTPUT	1,400W
BAR & CHAIN LENGTH	(14") 350mm
OIL TANK CAPACITY	200ml
STANDARD CHAIN	325 / 043
CHAIN SPEED: m/3	1,490m/min
NOISE: dB	100dB
TOOLLESS CHANGE	No
OVERALL LENGTH	266mm
SKIN TOOL WEIGHT	3.8kg

Skin tool Only


**XGT 40V<sub>max</sub>**
**UC004GM101** **UC004GZ**
**40Vmax XGT Brushless 35cm 14" Top Handle Chainsaw**

- 40Vmax XGT Outer Rotor brushless motor provides chain speed of 0-1,490m/min, Equivalent to 30cc class engine chain saw\*
- Additional safety & control with a kickback brake and metal bumper
- Captive bar nut allows for efficient chainsaw maintenance

POWER OUTPUT	1,400W
BAR & CHAIN LENGTH	(14") 350mm
OIL TANK CAPACITY	200ml
STANDARD CHAIN	3/8" / 043
CHAIN SPEED: m/3	1,490m/min
NOISE: dB	100dB
TOOLLESS CHANGE	No
OVERALL LENGTH	266mm
SKIN TOOL WEIGHT	3.8kg

Kit includes:  
1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)


**XGT 40V<sub>max</sub>**
**UC013GT101** **UC013GZ**
**40Vmax XGT Brushless 45cm 18" Chainsaw**

- Max output power equivalent to 40cc petrol saws
- Captive bar nut allows for efficient chainsaw maintenance
- Max chain speed of 25.5m/s for fast effective cutting
- Metal bar spike for additional safety

POWER OUTPUT	1,600W
BAR & CHAIN LENGTH	(18") 450mm
OIL TANK CAPACITY	260ml
STANDARD CHAIN	325 / 043
CHAIN SPEED: m/3	1,530m/min
NOISE: dB	102dB
TOOLLESS CHANGE	No
OVERALL LENGTH	445mm
SKIN TOOL WEIGHT	4.5kg

Kit includes:  
1 x 5.0Ah battery (BL4050F), rapid charger (DC40RA)


**XGT 40V<sub>max</sub>**
**UH004GD102** **UH004GZ**
**40Vmax XGT Brushless 600mm Hedge Trimmer**

- Designed for trimming twigs, thin branches or dense hedges
- 3 stage speed control with reverse switch
- Max branch diameter of 23.5mm
- Low vibration design allows for maximum user comfort
- Rotating rear handle provides best grip whilst in use

POWER OUTPUT	720W
STROKES PER MIN	5,000 / 3,600 / 2,000
BLADE LENGTH	600mm
MAX.BRANCH THICKNESS	23.5mm
MAX.CUT OPENING	35mm
NOISE: dB	96dB
VIBRATION LEVEL	2.9m/s <sup>2</sup>
OVERALL LENGTH	1,120mm
SKIN TOOL WEIGHT	3.61kg

Kit includes:  
1 x 2.5Ah battery (BL4025), charger (DC40RC)


**XGT 40V<sub>max</sub>**
**UH005GD101** **UH005GZ**
**40Vmax XGT Brushless 750mm Hedge Trimmer**

- Rotating rear handle can be adjusted 90 degrees left and right
- Anti-vibration structure reduces vibrations transferred to the user
- 23.5mm maximum cutting diameter
- 3 stage variable speed control with blade release function
- Premium sharp edge curve blade design

POWER OUTPUT	720W
STROKES PER MIN	5,000 / 3,600 / 2,000
BLADE LENGTH	750mm
MAX.BRANCH THICKNESS	23.5mm
MAX.CUT OPENING	35mm
NOISE: dB	97dB
VIBRATION LEVEL	3.1m/s <sup>2</sup>
OVERALL LENGTH	1,123mm
SKIN TOOL WEIGHT	3.78kg

Kit includes:  
1 x 2.5Ah battery (BL4025), rapid charger (DC40RA)


**XGT 40V<sub>max</sub>**
**UH006GM101** **UH006GZ**
**40Vmax XGT Brushless 600mm Hedge Trimmer**

- Designed ideally for rough cutting of thick branches
- 3 stage speed control with reverse switch
- Max branch diameter of 25mm
- Low vibration design allows for maximum user comfort

POWER OUTPUT	720W
STROKES PER MIN	4,000 / 3,000 / 2,000
BLADE LENGTH	600mm
MAX.BRANCH THICKNESS	25mm
MAX.CUT OPENING	38mm
NOISE: dB	92dB
VIBRATION LEVEL	3.0m/s <sup>2</sup>
OVERALL LENGTH	1,123mm
SKIN TOOL WEIGHT	3.67kg

Kit includes:  
1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)  
1 x 2.5Ah battery (BL4025), charger (DC40RC)


**XGT 40V<sub>max</sub>**
**UH007GD101** **UH007GZ**
**40Vmax XGT Brushless 750mm Hedge Trimmer**

- Designed for heavy duty pruning and shaping
- 3 stage speed control with reverse switch
- Max branch diameter of 25mm
- Low vibration design allows for maximum user comfort
- Rotating rear handle provides best grip whilst in use

POWER OUTPUT	720W
STROKES PER MIN	4,000 / 3,000 / 2,000
BLADE LENGTH	750mm
MAX.BRANCH THICKNESS	25mm
MAX.CUT OPENING	38mm
NOISE: dB	97dB
VIBRATION LEVEL	3.4m/s <sup>2</sup>
OVERALL LENGTH	1,274mm
SKIN TOOL WEIGHT	3.88kg

Kit includes:  
1 x 2.5Ah battery (BL4025), rapid charger (DC40RA)



COMING SOON



**XGT** 40V<sub>max</sub>

**LM003GL101** **LM003GM103** **LM003GZ**

**40Vmax XGT Brushless 380mm (15") Lawn mower**

- No petrol, emissions, oil mixing or pull starts with reduced maintenance and low noise levels
- Ergonomic high grade plastic deck weighs less for reduced required push force and easier transport
- Ideal for small to medium sized yards
- Folding handle for compact upright storage
- Rubberised soft grip handle bar for added comfort
- Extreme Protection Technology (XPT) is engineered for improved dust and water resistance for operation in harsh conditions

Kit includes:  
1 x 8.0Ah battery (BL4080F) & Dual charger (DC40RB)  
1 x 4.0Ah battery (BL4040) & charger (DC40RC)

COMING SOON



**XGT** 40V<sub>max</sub>

**LM004GL101** **LM004GL103** **LM004GZ**

**40Vmax XGT Brushless 430mm (17") Lawn mower**

- No petrol, emissions, oil mixing or pull starts with reduced maintenance and low noise levels
- Ergonomic high grade plastic deck weighs less for reduced required push force and easier transport
- Ideal for small to medium sized yards
- Folding handle for compact upright storage
- Rubberised soft grip handle bar for added comfort
- Extreme Protection Technology (XPT) is engineered for improved dust and water resistance for operation in harsh conditions

Kit includes:  
1 x 8.0Ah battery (BL4080F) & Dual charger (DC40RB)  
1 x 4.0Ah battery (BL4040) & charger (DC40RC)



**XGT** 40V<sub>max</sub>

**LM001GM101** **LM001GZ**  
**40Vmax XGT Brushless 480mm (18") Self-Propelled Lawn mower**

- Quick to engage self-propelled motor with variable speed
- 18" heavy duty Metal deck with 4 swing back blades
- No Load Speed of up to 3,300rpm / 2,500rpm
- Holds 2 x 40V batteries with Large L.E.D Battery level indicator
- 62L collection capacity with mulching & rear discharge

POWER OUTPUT	1,900W
CUTTING WIDTH	480mm (18")
CUTTING HEIGHT	20-100mm
NO LOAD SPEED (RPM)	3,200-2,500
SKIN TOOL WEIGHT	28kg

Kit includes:  
1 x 4.0Ah battery (BL4040) & Dual rapid charger (DC40RB)



**XGT** 40V<sub>max</sub>

**LM002GM101** **LM002GZ**  
**40Vmax XGT Brushless 534mm (21") Self-Propelled Lawn mower**

- Quick to engage self-propelled motor with variable speed
- 534mm (21") Metal deck with 4 swing back blades
- No Load Speed of up to 2,800rpm
- 70L collection capacity with mulching & rear discharge
- Holds 2x 40V batteries with Battery capacity warning function

POWER OUTPUT	1,900W
CUTTING WIDTH	534mm (21")
CUTTING HEIGHT	20-100mm
NO LOAD SPEED (RPM)	2,800-2,300
SKIN TOOL WEIGHT	29.6kg

Kit includes:  
1 x 4.0Ah battery (BL4040) & Dual rapid charger (DC40RB)



**XGT** 40V<sub>max</sub>

**UH008GD101** **UH008GZ**  
**40Vmax XGT Brushless 600mm Hedge Trimmer**

- Designed for precision trimming of dense hedges
- 3 stage speed control with reverse switch
- Max branch diameter of 21.5mm
- Low vibration design allows for maximum user comfort
- Rotating rear handle provides best grip whilst in use

POWER OUTPUT	720W
STROKES PER MIN	5,000 / 3,600 / 2,000
BLADE LENGTH	600mm
MAX.BRANCH THICKNESS	21.5mm
MAX.CUT OPENING	35mm
NOISE: dB	95dB
VIBRATION LEVEL	3.1m/s <sup>2</sup>
OVERALL LENGTH	1,123mm
SKIN TOOL WEIGHT	3.57kg

Kit includes:  
1 x 2.5Ah battery (BL4025), rapid charger (DC40RA)

HIGH DENSITY LOW



UH004G




UH005G



UH006G



UH007G



UH008G



MODEL

UH004G/ UH005G

UH006G/ UH007G

UH008G

LIGHT DEMAND

MEDIUM USER

HEAVY USER

**FOR TRIMMING (FAST CUTTING)**

**FOR ROUGH CUTS (HIGH TORQUE)**  
Designed for cutting thick, rough branches

**FOR TRIMMING**  
Designed for precision trimming of dense hedges

MODEL	TOOTH SPACING	TOOTH THICKNESS	MAX. BRANCH DIAMETER	BLADE TYPE
UH004G/ UH005G	35mm	2.0mm	23.5mm	Sharp edge curved blade
UH006G/ UH007G	38mm	2.4mm	25mm	Sharp edge (3 sharp edges)
UH008G	35mm	2.0mm	21.5mm	Standard blade (3 sharp edges)



## XGT 40V<sub>max</sub> UB001GM101 UB001GZ 40Vmax XGT Brushless Blower

- Cruise control function with boost mode
- Powerful air speed up to 230km/h / 565 CFM
- Up to 16m<sup>3</sup>/min of max air volume in boost mode
- Lightweight design
- IPX4 Rated for increased resistance to water

NO LOAD SPEED (RPM)	20,000-23,000
MAX AIR SPEED	53-(Turbo: 64m/s)
BLOWING FORCE	12-(Turbo:17N)
MAX.AIR VELOCITY	190 (Turbo: 230km/h)
MAX.AIR VOLUME (m <sup>3</sup> )	16m <sup>3</sup> /min / 565CFM
NOISE dB(A)	94.1db(A)
OVERALL LENGTH	950mm
SKIN TOOL WEIGHT	2.6kg

Kit includes:  
1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)



## XGT 40V<sub>max</sub> UA004GM101 UA004GZ 40Vmax XGT Brushless (12") 300mm Telescopic Pole Saw

- Telescopic design provides high reach over 3.8M
- High power output comparable to 35cc petrol pole saw
- Chain speed of 20m/s for fast smooth cutting
- Integrated branch hook to easily remove cut branches

POWER OUTPUT	1,500W
BAR & CHAIN LENGTH	(12") 300mm
OIL TANK CAPACITY	160ml
STANDARD CHAIN	3/8" / 043
CHAIN SPEED: m/3	1,200m/min
NOISE: dB	105dB
TOOLLESS CHANGE	No
OVERALL LENGTH	2,516mm
SKIN TOOL WEIGHT	7.2kg

Kit includes:  
1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)



## XGT 40V<sub>max</sub> PM001GL202 PM001GZ01 40Vmax XGT Brushless Backpack Mistblower

- 15L tank ideal for misting and dusting of herbicides, pesticides, and liquid and granular fertilisers
- With a range of up to 14 meters, it is suitable for large surfaces
- Compatible with ULV (Ultra Low Volume) spray for pesticides with 50µm or less

NO LOAD SPEED	25,000RPM
SOLUTION TANK	15L
BLOWING FORCE	15N
MAX. AIR VELOCITY	64m/s
MAX. AIR VOLUME	14.3m <sup>3</sup> /min
SPRAY RANGE	14M
SPRAY VOLUME	180-1,400 mL/min
OVERALL LENGTH	690mm
SKIN TOOL WEIGHT	11.9kg

Kit includes:  
2x 8.0Ah batteries (BL4080F) & Dual Rapid charger (DC40RB)



## 1913Y6-3 40Vmax XGT Rapid Charger (DC40RA) and 2 x 40V max XGT 2.5Ah Batteries (BL4025)



## 1913Y7-1 40Vmax XGT Dual Rapid Charger (DC40RB) and 2 x 40V max XGT 5.0Ah Batteries (BL4050F)



## 1913Y8-9 40Vmax XGT Dual Rapid Charger (DC40RB) and 2 x 40V max XGT 8.0Ah Batteries (BL4080F)



## XGT 40V<sub>max</sub> DG002GT101 NEW DG002GZ01 40Vmax XGT Brushless Earth Auger

- 2 speeds for effective drilling into a variety of materials
- Reverse switch allows for easy removal from material
- Max. drilling capacity of 200mm
- Earth auger handle allows for maximum control while drilling
- Torque limiter for added safety

POWER OUTPUT	1,350W
CAPACITY	150mm-200mm
CHUCK CAPACITY	2 - 13 mm
NO LOAD SPEED (RPM)	400-1,500
MAX TORQUE	55 high 136 low
SOUND POWER LEVEL	95 dB(A)
VIBRATION LEVEL	2.5 m/s <sup>2</sup>
OVERALL LENGTH	842mm
SKIN TOOL WEIGHT	6.1kg

Kit includes:  
1 x 5.0Ah battery (BL4050F), rapid charger (DC40RA)



## XGT 40V<sub>max</sub> DG001GM106 DG001GZ06 40Vmax XGT Brushless Earth Auger

- 2 speeds for effective drilling into a variety of materials
- Reverse switch allows for easy removal from material
- Max. drilling capacity of 200mm
- Earth auger handle allows for maximum control while drilling
- Torque limiter for added safety

POWER OUTPUT	1,350W
CAPACITY	150mm-200mm
CHUCK CAPACITY	2 - 13 mm
NO LOAD SPEED (RPM)	400-1,500
MAX TORQUE	55 high 136 low
SOUND POWER LEVEL	95 dB(A)
VIBRATION LEVEL	2.5 m/s <sup>2</sup>
OVERALL LENGTH	788mm
SKIN TOOL WEIGHT	6.8kg

Kit includes:  
1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)

## EARTH AUGER DRILL BITS



### E-07294 100mm Earth Auger Drill Bit



### E-07303 150mm Earth Auger Drill Bit



### E-07319 200mm Earth Auger Drill Bit



### E-07325 540mm Earth Auger Extension

## REPLACEMENT BLADES



ø100 mm

### E-07630 Replacement Blade 100mm for E-07294

ø150 mm

### E-07646 Replacement Blade 150mm for E-07303

ø200 mm

### E-07652 Replacement Blade 200mm for E-07319

### 191P11-3 Handle Set

includes a bar which receives reaction force and an auxiliary handle, the user drill holes in the ground easier.



### E-07331 Pin for Earth Auger




### 327684-2 Adapter Type A



## GOING BEYOND LIMITS

**HIGHER** OUTPUT POWER  
UP TO **2X LONGER RUN TIME**



COMPACT SIZE

LONGER RUN TIME

**72<sub>WH</sub>**

22 MINS CHARGE TIME

**BL4020**

40V max XGT 2.0Ah Battery

**90<sub>WH</sub>**

25 MINS CHARGE TIME

**BL4025**

40V max XGT 2.5Ah Battery

**144<sub>WH</sub>**

45 MINS CHARGE TIME

**BL4040**

40V max XGT 4.0Ah Battery

**180<sub>WH</sub>**

45 MINS CHARGE TIME

**BL4040F**

40V max XGT 4.0Ah Battery

**180<sub>WH</sub>**

50 MINS CHARGE TIME

**BL4050F**

40V max XGT 5.0Ah Battery

**288<sub>WH</sub>**

76 MINS CHARGE TIME

**BL4080F**

40V max XGT 8.0Ah Battery

**ADP10**

40Vmax XGT USB Charging Adapter (To allow you to charge LXT battery)

**DC40RA**

40Vmax XGT Rapid Charger

**DC40WA**

40Vmax XGT Dual Charger

**DC40RB**

40Vmax XGT Dual Rapid Charger

## MORE VOLTAGE

IN THE PREFERRED 18V FORM FACTOR



**FASTER CHARGING**  
TO GET WORK DONE FASTER

<b>NEW</b> 8.0Ah	<b>76MIN</b>	5.0Ah	<b>50MIN</b>	4.0Ah	<b>45MIN</b>
2.5Ah	<b>28MIN</b>	2.0Ah	<b>22MIN</b>		




**191D89-4**
**RAPID LOAD**  
Bump & Feed Trimmer Head

# LOAD LINE IN SECONDS

## 3 EASY STEPS

### 3 EASY STEPS










LOAD LINE IN SECONDS


**1. ALIGN**  
Align triangles

**2. FEED**  
Feed line in direction of "LINE IN" arrow until line is even on each side

**3. TWIST**  
Twist bump knob to wind line

## Trimmer Heads

		Arbor Size	Gauge & Style	Line Capacity	
	 191Y39-5 Spool Set				Replacement to suit DUR181, DUR193
<b>RAPID LOAD SERIES</b>	 191D89-4 102mm LH Bump & Feed Head	M10 x 1.25 LH	2.0mm 4 Leaf	4M	Replacement to suit DUR190, DUR192, DUX18, DUR368A, DUR368L, UR002G, UR003G, UR006G, UR007G, UR016G, UR017G, UR201C, EM403MP, EM406MP, EM409MP, DUR369A, DUR369L
	 T-01753A 10mm LH Comfort Trim Bump & Feed Head	M10 x 1.25 LH	.095" Premium Round	6M. of .080" 5.4M of .095" 4.8M of .105" 3.9M .110"	Replacement to suit DUR190, DUR368A, DUR368L, DUX60, DUR369L, DUR369A, EM2650UH, DUR368L, DUR366L, EM400MP, EM403MP and EM405MP
	 T-02917 8mm LH Comfort Trim Bump & Feed Head	M8 x 1.25 LH	.095" Premium Round	6M. of .080" 5.4M of .095" 4.8M of .105" 3.9M .110"	Replacement to suit DUR187L, DUR182L
	 T-03187 8mm RH Comfort Trim Bump & Feed Head	M8 x 1.25 RH	080/095" Premium Round	6M. of .080" 5.4M of .095" 4.8M of .105" 3.9M of .110"	DUR187L/U, DUR188L, DUR190L/U, DUR191L/U, DUR188U, DUR189, DUR364L, DUR366L, DUR368A/L, DUR369A, DUR369L/N, UR001G, UR002G, UR003G, UR006G, UR007G, UR008G, UR016G, UR017G, UR101C, UR201C, UR202C, EM403MP, EM404MP, EM405MP, EM406MP
<b>FIXED LINE</b>	 198383-1 255mm Plastic Blade Set Head	M8 x 1.25 R M8 x 1.25 L M10 x 1.25 L			Replacement to suit DUR187L/U, DUR188L, DUR190L/U, DUR191L/U, DUR188U, DUR189, DUR364L, DUR366L, DUR368A/L, DUR369A, DUR369L/N, UR001G, UR002G, UR003G, UR006G, UR007G, UR008G, UR016G, UR017G, UR101C, UR201C, UR202C, EM403MP, EM404MP, EM405MP, EM406MP
	 B-02951* Fixed Line Trimmer Head	Universal		2.4mm x 0.75m x 2	Replacement to suit EM400MP, EM401MP, EM403MP, EM404MP, EM405MP, EM406MP
	 1911Y2-9 130mm Trimmer head Bump & Feed Head	M10x1.25LH	2.7mm 4 Leaf	4m	Replacement to suit UR013
	 199868-0 305mm Plastic Blade Set Head	M10x1.25LH			Replacement to suit DUR369A/L/N, UR101C, UR201C, UR202C, UR012G, UR013G

## String trimmer head

### Quick loading Trimmer Head

Nylon cord can be feeded without opening the head


0  85(sec.)

General trimmer head					
----------------------	---	---	--	---	---








0  35(sec.)

Quick loading trimmer head				
----------------------------	---	---	--	---

Up to **58%**  
less feeding time!



## Color chart

Dia.	Color / Shape	Light duty				Heavy duty			
		Low density		High density		Low density		High density	
1.3mm		↔							
1.6- 1.65mm		↔↔							
2.0mm			↔↔↔						
2.4mm	 		↔↔↔↔						
3.0mm	 					↔↔↔↔↔			

## Standard Nylon cord

Color / Shape	Ring (mm)	dia. (mm)	length (m)	Part No.
	Single	1.3	15	E-02727
	Single	1.6	15	E-02733
	Single	2.0	15	E-02705
	Single	2.4	15	E-02749
	Single	2.4	87	E-02761
	Single	2.4	15	E-02808
	Single	2.4	69	E-02814






## Double-layer Nylon cord

Increased durability up to 130%\* thanks to Flexible core coated with Impact & abrasion resistant skin  
\*compared to standard nylon cord



Color / Shape	Ring (mm)	dia. (mm)	length (m)	Part No.
	Single	3.0	15	E-02836
	Single	3.0	56	E-02842
	Single	3.0	15	E-02870
	Single	3.0	44	E-02886







## String trimmer harness for PDC1200

Part #	Fits Models
 191E43-4 Padded hanging bands	PDC1200A
 197243-4 Standard hanging bands	
Part #	Fits Models
 125520-4 Shoulder Strap	DUR368A DUR368U, DUR369A, DUR369U, UR002G, UR006G, UR007G, UR012G, UR013G, UR016G
 122906-3 Dual Shoulder Harness	DUR369A, UR002G, UR006G, UR007G
 196129-9 Professional Dual Shoulder Harness	DUR369A, UR006G, UR007G, UR012G, UR013G

## Brush Cutter Attachments

Part #	Thickness	Fits Models
 198345-9 255mm 2T Blade	2mm	DUR369A DUR369L, UR006G, UR007G, UR010C, UR201C
 195150-5 230mm 4T Blade	1.8mm	DUR368A/L, DUR369A/L, UR002G, UR003G, UR006G, UR007G, UR016G, UR017G, UR010C, UR201C, EM400MP, EM401MP, EM402MP, EM403MP, EM404MP
 196895-8 255mm 4T Blade	2.0mm	DUR369A/L, UR006G, UR007G, UR016G, UR017G, UR010C, UR201C
 D-73324 230mm 8T Blade	1.8mm	EM400MP, EM401MP, EM402MP, EM403MP, EM404MP
 195298-3 230mm Blade	3.0mm	DUR368A/L, DUR369A/L, UR002G, UR003G, UR006G, UR007G, UR016G, UR017G, UR010C, UR201C, EM400MP, EM401MP, EM402MP, EM403MP, EM404MP
 199872-9 225mm Blade	1.8mm	UR013G
 195299-1 255mm 3T Blade	3.0mm	DUR369A, UR006G, UR007G, UR010C, UR201C
 195300-2 305mm 3T Blade	3.0mm	UR012G
 196745-7 203mm 2T Edger Blade	2.5mm	EE400MP
 199874-5 270mm 2T Shredder Blade		UR012G 199873-7 Protection Guard (UR012G) 1911Y1-1 Protection Guard (UR013G)

## Trimmer Accessories

Part #	Size	Fits Models
 197439-7 Hedge Trimmer Gear Grease N00	80g	All string trimmer, brush cutter, and hedge trimmer models
 199450-5 String Trimmer Gear Grease SG2	80g	
 195093-1 1 Ltr Bar and Chain		
 988 002 658 5 Ltr Bar and Chain		
 1910U0-9 Bio Oil 1 Ltr bar & Chain		
 980 008 611 Bio Oil 5 Ltr bar & Chain		





**XGT UC013GZ**

DELIVERS THE POWER OF A  
**40CC PETROL CHAIN SAW**

