



Cordless Cleaner CL003G



CL003G
Cyclone unit



CL001G
Capsule type



CL002G
Paper dust bag



CL003G



Cyclone unit

+



One-touch push button switch



CL001G



Capsule type

+

One-touch push button switch



CL002G



Paper dust bag

+

One-touch push button switch





photo: CL003G

Dust capacity
250 mL

Low noise
54 [Mode 1]
dB(A)
[Mode 4: 65 dB(A)]

Using softer elastomer for the part that fixes fan cover, the vibration of housing is reduced

Achieved by redesigning the exhaust air flow path of the motor to reduce wind noise.


Noise absorbing sponge



New cyclone unit

Filter clogging is suppressed by separating fine dust particles from the air with centrifugal force in the cyclone unit. Thus, the decrease in suction power of the cleaner is minimized.

The amount of dust that can be sucked until filter needs to be cleaned is about 6 times of dust amount suctioned without cyclone unit.



the amount of dust that can be sucked before filter maintenance

Easy disposal of the fine dust collected in dust case




For increased cleaning efficiency, the integrated cyclone unit is positioned above the extension pipe so that it does not hit the floor or surrounding objects when cleaning narrow spaces such as the floor under racks or sofas.



4-mode suction power selection with mode memory function

- The cleaner can memorize a previous power mode and resume vacuuming at the same mode as last time user turned off for user convenience.
- Power mode can be selected before the cleaner is turned on.
- Selected power mode is indicated by 4 green LEDs.




Continuous use

on a full battery charge

| Mode | 4 | 3 | 2 | 1 |
|------|--------|--------|--------|--------|
| | 16 min | 25 min | 40 min | 80 min |

Battery: BL4025

Max sealed suction



Redesigned Floor/ Carpet T-nozzle

- Redesigned structure reduces the resistance caused by suction, providing smooth running.
- Redesigned inside air flow path reduces the noise made inside the nozzle.




Easy filter setting

Filter can be fixed with a single push.



Single LED job light

also functions as a battery capacity warning lamp.



Pipe locking mechanism

Pipe is fixed with the locking mechanism to prevent it from accidentally coming off.



Pipe with beveled end

Cleaning of tight places can be done without nozzle by using the beveled end of pipe as a nozzle.



Accessories

Nozzle assembly For floor/ carpet

Part No.

- 127825-8
- 127827-4
- 127828-2



Nozzle assembly For rug / carpet

Part No.

- 198525-7 (EU) 198528-1
- 198523-1 (EU) 198527-3
- 198526-5 (EU) 198529-9



Nozzle assembly For floor

Part No.

- 123486-2
- 123488-8
- 123539-7



Snow-white Makita-blue Black

Sheet Nozzle

Part No.

- 199038-1
- 199041-2
- 199039-9



Flexible hose

Part No. 191E30-3



Flexible hose

Part No.

- 198867-9 (EU) 198868-7
- 198541-9 (EU) 198545-1
- 198543-5 (EU) 198547-7



Sash nozzle

Part No.

- 413770-6
- 413859-0
- 413809-5



Long sash nozzle

Part No.

- 198919-6
- 198990-0
- 198992-6



Round brush

Part No.

- 198878-4
- 198553-2
- 198555-8



Crevice nozzle 415

Part No. 199439-3



Shelf brush

Part No.

- 198873-4
- 198538-8
- 198540-1



Straight pipe with pipe lock

Part No.

- 459353-8
- 459356-2
- 458942-6



High performance filter set

Part No. 1910C7-9



Filter H set

Part No. 1910C9-5

HEPA filter



Cyclone unit set

Part No.

- 1910D3-4
- 1910D4-2
- 1910D5-0



Compatible model: CL001G, DCL280F, DCL281F, DCL180, DCL181F, DCL140

Cordless Cleaner

CL001G

Capsule type

One touch switch



CL002G

Paper bag type

One touch switch



| | CL001G | CL002G |
|------------------------|--|---|
| Capacity | 730 mL | Cloth dust bag: 500 mL Paper dust bag: 330 mL |
| Continuous use | w/ BL4025, Mode 1 / 2 / 3 / 4 : 80 / 40 / 25 / 16 min | w/ BL4025, Mode 1 / 2 / 3 / 4 : 80 / 40 / 25 / 16 min |
| Max air flow | 1.2 m ³ /min | 1.2 m ³ /min |
| Max sealed suction | 21 kPa (2,100 mmH ₂ O) | 21 kPa (2,100 mmH ₂ O) |
| Suction power | Mode 1 / 2 / 3 / 4: 20 / 45 / 70 / 125 W | Mode 1 / 2 / 3 / 4: 20 / 45 / 70 / 125 W |
| Noise level | Mode 1: 54 dB(A) | Mode 1: 54 dB(A) |
| Dimensions (L x W x H) | w/ Pipe & Nozzle, w/ BL4020 / BL4025: 1,066 x 113 x 152 mm (42 x 4-7/16 x 6") | w/ Pipe & Nozzle, w/ BL4020 / BL4025: 1,066 x 114 x 152 mm (42 x 4-1/2 x 6") |
| | w/ Pipe & Nozzle, w/ BL4040: 1,081 x 113 x 158 mm (42-1/2 x 4-7/16 x 6-1/4") | w/ Pipe & Nozzle, w/ BL4040: 1,081 x 114 x 158 mm (42-1/2 x 4-1/2 x 6-1/4") |
| Net weight | 1.7 - 2.3 kg (3.7 - 5.1 lbs.) | 1.8 - 3.0 kg (4.0 - 6.6 lbs.) |

Charging Time

| | Fast Charging | |
|-----------------|---------------|--------|
| | DC40RA | DC40RC |
| *1 BL4020 2.0Ah | 22 min | 30 min |
| *1 BL4025 2.5Ah | 28 min | 38 min |
| *1 BL4040 4.0Ah | 45 min | 67 min |
| BL4050F 5.0Ah | 50 min | 85 min |

*1 Recommended battery

Cordless Cleaner

CL003G

Electronic 4-Speed

Built-in Job Light

| | |
|------------------------|---|
| Capacity | 250 mL |
| Continuous use | w/ BL4025, Mode 1 / 2 / 3 / 4: 80 / 40 / 25 / 16 min |
| Max air flow | 1.0 m ³ /min |
| Max sealed suction | 20 kPa (2,000 mmH ₂ O) |
| Suction power | w/ Easy shake off filter EX, Mode 1 / 2 / 3 / 4: 15 / 35 / 60 / 100 W |
| Noise level | Mode 1 / 2 / 3 / 4: 54 / 59 / 62 / 65 dB(A) |
| Dimensions (L x W x H) | w/ Pipe & Nozzle, w/ BL4020 / BL4025 : 1,106 x 113 x 177 mm (43-1/2 x 4-7/16 x 7") |
| | w/ Pipe & Nozzle, w/ BL4040 : 1,121 x 113 x 177 mm (44-1/4 x 4-7/16 x 7") |
| Net weight | 1.9 - 2.5 kg (4.2 - 5.5 lbs.) |

Standard Equipment : Floor nozzle, Sash nozzle, Sash nozzle holder, Pipe, High performance filter (country-specific), Battery, Charger

The weight does not include accessories but battery cartridge. The lightest and heaviest combination weight of the appliance and battery cartridge are shown in the table.
Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202204