



Cordless Radio with Lantern

MR009G / DMR056 / DMR055



XGT
40V LITHIUM-ION
max

18V
LITHIUM-ION



photo: MR009G



photo: DMR056

XGT
40V LITHIUM-ION
max

MR009G

- Lantern
20 LEDs
- Flashlight
1 LEDs

- Light tone and color
Daylight white
- Neutral white**
- Warm white**



18V
LITHIUM-ION

DMR056

- Lantern
20 LEDs
- Flashlight
1 LEDs

- Light tone and color
Daylight white
- Neutral white**
- Warm white**



18V
LITHIUM-ION

DMR055

- Lantern
20 LEDs

- Light tone and color
Warm white



▲ MR009G / DMR056

▲ MR009G / DMR056

XGT**40V^{Li-ION}**
max**18V**
LITHIUM-ION

photo: MR009G




photo: MR009G



photo: DMR056

Cordless Radio with Lantern

**MR009G**Bluetooth **dob+** **XPT**

Lantern 20 LEDs	Light tone and color Daylight white
Flashlight 1 LEDs	Neutral white
	Warm white

**DMR056**Bluetooth **dob+** **XPT**

Lantern 20 LEDs	Light tone and color Daylight white
Flashlight 1 LEDs	Neutral white
	Warm white

**DMR055****XPT**

Lantern 20 LEDs	Light tone and color Warm white
---------------------------	---


Continuous run time (approx) On a single full battery charge

with BL4050F				with BL1850B				with BL1850B		
Radio	Radio+Lantern	Lantern	Flashlight	Radio	Radio+Lantern	Lantern	Flashlight	Radio	Radio+Lantern	Lantern
51 h	21 h	34 h	66 h	44 h	12 h	16 h	30 h	52 h	12 h	16 h

Cordless Radio with Lantern that can be used at work, play, or anytime

Lantern with 3 light tone settings

MR009G / DMR056 only



Warm white

You will feel relaxed.
(about 2,500K)

Neutral white

(about 3,500K)

Daylight white

You can easily read what is written / printed.
(about 5,000K)

Switch

MR009G / DMR056

DMR055



- Brightness setting button (2 stages) (MR009G / DMR056 only)
- Lantern light tone setting button (3 tones) (MR009G / DMR056 only)
- On/off and Mode select button

USB output port

MR009G / DMR056 only

- With USB output switch
- With Auto-off function
- Type A, 1 port, DC5V/ 2.4A



Multi functions

MR009G / DMR056

Lantern	Flashlight	FM radio (9 stations)
dab+ (9 stations)	USB output port	Bluetooth

DMR055

Lantern	AM / FM radio (9 stations)
---------	----------------------------



Foldable hanging hook



Strap with hook allows to illuminate downwards, for example, from the ceiling to the floor

Flashlight

MR009G / DMR056 only



- Daylight white single LED
- Brightness settings (2 stages)

Lens guard also works as an FM antenna.

LCD digital display

XPT

photo: MR009G

Comfort/Lifestyle

Cordless Job Site Speaker

DMR203

18V
12V max



DMR202

18V
12V max
USB



DMR201

18V
12V max
USB



DMR200

18V
12V max



Cordless Cooler & Warmer Box

CW001G

40V max
18V



DCW180

18V



Cordless Kettle

KT001G

40V max



DKT360

18V x2



Cordless Coffee Maker

DCM501

18V
12V max



Continuous run time (approx): hour

On a single full battery charge

Model No.	MR009G					DMR056							DMR055				
	40Vmax					18V											
Battery	PDC1200	BL4020	BL4025	BL4040	BL4050F	BL1815N	BL1820B	BL1830B	BL1840B	BL1850B	BL1860B	BL1815N	BL1820B	BL1830B	BL1840B	BL1850B	BL1860B
Radio	340	20	24	36	51	13	17	24	34	44	53	15	20	28	40	52	63
Flashlight (H/L)	440/813	26/49	31/58	46/86	66/122	9.0/17	12/23	16/32	23/45	30/58	37/70	-	-	-	-	-	-
Lantern (4 sides/3 sides)	227/313	13/18	16/22	24/33	34/47	4.5/6.5	6.0/8.5	8.5/12	12/17	16/22	19/26	4.5/6.5	6.0/8.5	8.5/12	12/17	16/22	19/26
Radio+Lantern (4 sides)	140	8.0	10	14	21	3.5	4.5	6.5	9.0	12	14	3.5	4.5	6.5	9.0	12	14

Charging Time

Model No.	Charger	DC4001		Fast Charging DC40RA		DC40RC		Fast Charging DC18RC		DC18SD		Fast Charging DC18RC		DC18SD			
				BL4020	BL4025	BL4040	BL4050F	BL1815N	BL1820B	BL1830B	BL1840B	BL1850B	BL1860B	BL1815N	BL1820B	BL1830B	BL1840B
PDC1200	360 min	2.0Ah	2.5Ah	4.0Ah	5.0Ah	1.5Ah	2.0Ah	3.0Ah	4.0Ah	5.0Ah	6.0Ah	1.5Ah	2.0Ah	3.0Ah	4.0Ah	5.0Ah	6.0Ah
		22 min	28 min	45 min	50 min	15 min	24 min	22 min	36 min	45 min	55 min	36 min	45 min	55 min	90 min	110 min	130 min

Cordless Radio with Lantern

MR009G / DMR056 / DMR055

Standard Equipment :	MR009G / DMR056		DMR055
	Strap Hook	Frequency Band	FM: 87.5-108 MHz / DAB: 174.928-239.200 MHz / DAB+: 174.928-239.200 MHz
Battery and charger are sold separately	Speaker Size	Ø57 mm	Ø57 mm
	Illuminance	Lantern, Daylight white, 4 sides, High / Low: 145 / 72 or more lx Lantern, Neutral white, 4 sides, High / Low: 140 / 70 or more lx Lantern, Warm white, 4 sides, High / Low: 130 / 65 or more lx Flashlight, High / Low: 1,000 / 500 or more lx	Lantern, Warm white, 4 sides, High: 130 or more lx
Luminous flux	Lantern, Daylight white, 4 sides, High / Low: 310 / 155 or more lm Lantern, Neutral white, 4 sides, High / Low: 300 / 150 or more lm Lantern, Warm white, 4 sides, High / Low: 260 / 130 or more lm Flashlight, High / Low: 200 / 100 or more lm		Lantern, Warm white, 4 sides, High: 260 or more lm
Bluetooth	Version: 5.0 Profile: A2DP, SCMS-T, AVRCP Supported Codec: SBC / AAC Max Transmission Range (Optimum): 10 m (33 ft) Transmission Power Class: 2 Compatible Bluetooth Profile: A2DP		
Dimensions (L x W x H)	w/o Battery: 126 x 127 x 240 mm (5 x 5 x 9-1/2")		w/o Battery: 126 x 127 x 240 mm (5 x 5 x 9-1/2")
Net weight	MR009G: 1.6 - 2.2 kg (3.5 - 4.9 lbs.) / DMR056: 1.3 - 1.6 kg (2.9 - 3.5 lbs.)		1.2 - 1.6 kg (2.7 - 3.5 lbs.)

Not covered by EPTA-Procedure

Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202205