

Makita[®]

Cordless Blower
DUB362

Satisfy Professional's Needs

LXT
LITHIUM-ION

Powerful,
Lightweight
and very quiet



Low noise:

96 dB

Sound power level

Max air volume:

13.4

m³/min



BL
MOTOR

The most powerful Cordless

Excellent handling and comfortable operation by excellent balance



XPT
EXTREME PROTECTION TECHNOLOGY



For use in outdoor applications or harsh environments, protection from dust and dripping water is enhanced.

6-stage air volume/velocity selection just by adjusting dial







BL
MOTOR



3-stage telescopic long nozzle with an adjustment range of 100mm (4")

Continuous run time (approx) on a single full charged battery

dial	 BL1815N x2	 BL1830	 BL1840 x2	 BL1850 x2
1	24	44	61	75
2	13	25	34	42
3	9	16	23	28
4	6	12	17	20
5	5	9	13	16
6	4	6.3	9.3	11.4
Charging time	15	22	36	45

Two Port Multi Fast Charger



DC18RD

(min)

Longer runtime

Longer runtime compared to the competitors. (based on air volume and velocity)

DUB362 On dial 4, with BL1840x2	0	5
Competitor "S" with 4.5Ah battery	0	11 min
Competitor "H" with 2.6Ah battery	0	11 min

Leaf blower (Blower function only)



Lock-on button
operable from both side

Best grip angle and a nozzle angle
for efficient sweeping operation



Powered by two battery system in series

- Two 18V Li-ion batteries can be directly installed on the machine to supply more energy to the powerful 36V DC motor drive system.




Lightweight
4.1kg (9.04lbs)
[with 4.0Ah battery]



Reduced noise level

Makita DUB362 features:

- 3 blade fan to reduce noise level without losing air volume and velocity
- Double housing structure to minimize the noise level
- Additional sponge inside the housing to absorb the noise level



Used on the same



Two 18V Li-ion batteries can be directly installed on the machine to supply energy to the powerful 36V DC motor drive system.



The compatible batteries are:



1.5Ah BL1815N



3.0Ah BL1830



4.0Ah BL1840



5.0Ah BL1850

When different capacity batteries are used together (for example, 1.5Ah BL1815N and 3.0Ah BL1830, or fully charged BL1830 and 70% charged BL1830), the machine stops when the battery with less capacity gets empty.

Hole on the bottom of housing for hanging the machine



Dual battery fuel gauge

indicates the power remaining in each battery individually in 3 LED stages.



Shoulder belt



Cordless Blower

DUB362Z (Skin only)

Variable Speed



Air volume	6.9-13.4m ³ /min
Air speed	27-54m/s
No load speed (rpm)	11,400-21,500
Sound power level**	96dB(A)
Vibration level	0.3m/s ²
Dimensions (L x W x H)	830-930x205x295mm
	(32-3/4"-36-5/8"x8-1/8"x11-5/8")
Net weight*	3.5kg (7.7lbs)

**The conformity assessment procedure required by Directive 2000/14/EC was in Accordance with annex V.

Standard Equipment : Nozzle, Shoulder belt

*weight according to EPTA-Procedure 01/2003

Items of standard equipment and specifications may vary by country or area.



Makita New Zealand Ltd.
15 Orbit Drive, Mairangi Bay
PO Box 100 914, North Shore,
Auckland 0745
Fax 0800 600 601 Sales 09 4798251

Visit our website for information and tool features :

www.makita.co.nz