





### Drilling Speed

Drill 35 mm Concrete 35N / mm<sup>2</sup>



### Demolition Speed

Concrete 35N / mm<sup>2</sup>



Numbers in chart are relative values when the capacity of competitor 2 is indexed at 100.

## Rotary Hammer

350 W

HR4011C, HR4010C, HR4001C 40mm

- Double Insulation
- Torque Limiter
- Variable Speed
- SDS-Max Drive
- Electronic Speed Control
- Carrying Case
- Soft Start




## Rotary Hammer

HR4011C, HR4010C, HR4001C 40mm



LEARNED from  
the MOTHER EARTH



	HR4011C	AVT HR4010C	AVT HR4001C
Anti vibration technology	Active Dynamic Vibration Absorber Vibration Absorbing Grip	Active Dynamic Vibration Absorber	
Switch	Trigger only	Slide lock-on and Trigger	Slide lock-on and Trigger
Continuous rating input	1,100W	1,100W	1,100W
Max. bit dia.	40mm (1-9/16")	40mm (1-9/16")	40mm (1-9/16")
Max. core bit dia.	105mm (4-1/8")	105mm (4-1/8")	105mm (4-1/8")
Blows per minute	1,350-2,750	1,350-2,750	1,350-2,750
No load speed	235-480rpm	235-480rpm	235-480rpm
Dimensions (L x W x H)	468mm x 116mm x 261mm (18-1/2" x 4-9/16" x 10-1/4")	468mm x 116mm x 261mm (18-1/2" x 4-9/16" x 10-1/4")	468mm x 106mm x 261mm (18-1/2" x 4-3/16" x 10-1/4")
Net weight	6.3kg (13.9lbs)	6.3kg (13.9lbs)	5.9kg (13.0lbs)
Power supply cord	5.0m (16.4ft)	5.0m (16.4ft)	5.0m (16.4ft)

Standard equipment : Depth Gauge, Grip Assembly, Grease Vessel (Tool does not come with bit)


\*Standard equipment and Specifications may differ by country or area.



Makita New Zealand Ltd.  
15 Orbit Drive, Mairangi Bay  
PO Box 100 914, North Shore, Auckland 0745  
Fax 0800 600 601 Sales 09 479 8251


Visit our website for information and tool features :  
[www.makita.co.nz](http://www.makita.co.nz)

**AVT**  
ANTI VIBRATION TECHNOLOGY



# Learned from the Mother Earth


How to generate **POWER**  
 How to manage **VIBRATION**  
 How to bring you **COMFORT**



Use Makita's new hammer...  
 Enjoy your job comfortably...  
 Look after your body with the tool of less vibration...  
 Finish your job quicker with the powerful machine...  
 Then you can go home earlier...  
 Enjoy your healthy life on...  
 the Mother Earth

## MAKITA'S "Active" Dynamic Vibration Absorber (HR4011C and HR4010C)

Shift of air pressure in crank room and barrel room "actively" controls balancer to move opposite of piston.




## Vibration Absorbing Grip (HR4011C only)

Spring loaded hinged grip absorbs vibration



See the Result of AVT...  
 ...what Makita has learnt from the Mother Earth.



<p><b>Name Plate</b>        :: Located on low damage risk area</p>	<p><b>Slide Chuck</b>        :: Push-in and Go        :: Slide-back and Pull</p>
<p><b>LED</b>        :: Green : Electrified        :: Red : Replacement of carbon brush</p>	<p><b>Soft Grip</b>        :: For comfort</p>
<p><b>Dial</b>        :: Variable speed control</p>	<p><b>Mode Change Lever</b>        :: Located on low damage risk area        :: Protected by robust aluminum top</p>
<p><b>Repair Friendly</b>        :: Simple wiring inside        :: Chuck with less number of components</p>	

## HR4011C Extremely Comfortable

Easiest to manage the exposure of vibration to hands and arms.



## HR4010C Easy and Very Comfortable

Easier to manage the exposure of vibration to body. Easy operating Slide Lock-on Switch for hammering.



## HR4001C Easy and Comfortable

Slide Lock-on switch leaves operators' fingers out of effort to keep pulling trigger for long hours when hammering.

